FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABILITY

(HSD-5) S
IDENTIFICATION NUMBER

COMMANDED BY

T. HUTTINGER, U. S. N.

Attached to EIGHTY-FIVE Division,
EIGHT Squadron,
Flotilla,
ATLANTIC Fleet,
SIXTH Naval District,

Commencing 0001, 1 JANUARY -1A, 1964,
(zone time and date)

at San Remo, ITALY,
(location)

and ending 2400, 31 JANUARY -1A, 1964,
(zone time and date)

at Alcudia Bay, Mallorca
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION -1A DATE WEDNESDAY (Day) 1 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ SAN REMO, ITALY ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	340	5	10	CLR	3000	44	40						
02	340	4	10	CLR	3000	44	40						
03	340	3	10	CLR	2999	43	39						
04	340	3	10	CLR	2998	43	39						
05	340	4	10	CLR	2998	44	40						
06	340	5	10	CLR	2999	45	40						
07	340	5	10	CLR	2999	46	41						
08	270	6	10	CLR	2999	47	43						
09	270	6	10	CLR	3002	48	43						
10			10	SCT	3004	57	51	3	4500	CI			
11			10	SCT	3007	62	55	5	4500	CI			
12	200	2	10	BKN	3008	65	58	7	4500	CI			
13	200	2	10	BKN	3006	68	60	7	4500	CI			
14	200	2	10	BKN	3006	70	60	7	4500	CI			
15	200	2	10	BKN	3006	71	63	6	4500	CI			
16	245	2	10	BKN	3008	65	64	7	4500	CI			
17	295	2	10	BKN	3008	63	59	7	4500	CI			
18	295	1	10	BKN	3010	59	56	7	4500	CI			
19	295	2	10	SCT	3008	58	56	3	4500	CI			
20	295	3	10	SCT	3008	57	56	2	4500	CI			
21	300	4	10	SCT	3006	56	55						
22	300	4	10	CLR	3004	54	53						
23	300	4	10	CLR	3001	53	52						
24	300	4	10	CLR	3001	52	51						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 267

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO
IN A SNUG NEST OF TWO,
THE SIDE TRIMMED IN BLUE,
WITH CHRISTMAS TREE, TOO,
USS ABILITY OF MINCART FAME
WITH USS NOTABLE, TRUE TO HER NAME,
SILENTLY RIDING OUTBOARD TO LARBOARD,
FOUR STANDARD MOORING LINES DOUBLED.

LIBERTY EXPIRES FOR SOME TOO EARLY
HERE IN SNUG, SAN REMO, ITALY;
THE SPIRIT IS HIGH AS WE TAKE IN THE VIEW
OF SNOW-CAPPED CRAGS CONQUERED BY FEW.

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ (T-SG) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (AMSO-519) WEDNESDAY (Day) 1 (Date) JANUARY (Month) 64

A PHONE IS OURS AT THE MAYOR'S BEHEST,
ALAS, THE STRANGE WORDS ALL MUST BE GUESSED.
ASTERN ONE CAN SEE TWO SWEEPERS ASTUTE
WSS RIVAL INBOARD WSS SALUTE.

THE SENIOR OFFICER PRESENT AFLOAT,
WE HAVE THE HONOR TO CARRY HIS BOAT,
IS MINDIV 85'S C.A. HERBERT,
WHOSE SLEEVES BY THREE STRIPES ARE GIRT.

SHIPS PRESENT INCLUDE, NOT TO BE RUDE,
VARIOUS MERCHANTS UNLIKE OUR BROOD.
IF CHALLENGED BY FATE IN YOKE CONDITION,
WE HAVE CAUSE TO FEAR NO PERDITION.

AS SIX IS THE KEYNOTE OF READINESS,
WE VIEW THE NEW YEAR WITH HAPPINESS.
WITH HALF THE CREW HERE,
WE CHEER THE NEW YEAR.

J.H. King
LT(jg), USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION, ABSENTEES: NONE.

J.H. King
LT(jg) USNR

08-12 MOORED AS BEFORE WAS MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

LTJG USNR.

12-16 MOORED AS BEFORE.

LTJG USNR.

16-20 MOORED AS BEFORE.

LTJG USNR.

20-24 MOORED AS BEFORE.

LTJG USNR

APPROVED: EXAMINED:

LT U.S.N. COMMANDING (USN) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABICKY (DDR 519) ZONE DESCRIPTION - 1A DATE THURSDAY (Day) 2 (Date) JANUARY (Month), 1964

AT/~~PASSAGE FROM~~ SAN REMO, ITALY TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	3	10	CLR	3000	51	50						
02	300	3	10	CLR	3003	52	50						
03	300	3	10	CLR	3000	52	50						
04	300	3	10	CLR	3022	49	46						
05	310	4	10	CLR	3023	48	45						
06	310	4	10	CLR	3023	47	45						
07	310	4	10	CLR	3026	47	45						
08	350	3	10	CLR	3030	48	45						
09	335	3	10	CLR	3029	51	46						
10			10	CLR	3029	54	47						
11	080	8	10	CLR	3029	58	44				60		
12	080	10	10	CLR	3030	59	51				60		
13	080	12	10	CLR	3030	59	52				60		
14	080	12	10	CLR	3029	58	53				58		
15	050	10	10	CLR	3028	60	55				58		
16	220	10	10	CLR	3029	60	55				56		
17	070	10	10	CLR	3030	60	55				56		
18	070	13	10	CLR	3031	57	50				56		
19	070	13	10	CLR	3032	55	50				54		
20	070	6	10	CLR	3032	55	52				54		
21	080	6	10	CLR	3033	55	51				54		
22	080	6	10	CLR	3034	55	50				59		
23	080	4	10	CLR	3035	55	50				54		
24	120	7	10	CLR	3035	55	51				59		

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 43° 39.3' N		BY 3
λ 08° 08.6' E		BY 3
2000		
L 42° 57' N		BY 3
λ 09° 36.5' E		BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 138

FUEL CONSUMED 0000-2400: 419

REMARKS

0/0-04 MOORED STARBOARD SIDE TO THE PIER IN A NEST OF TWO SHIPS AT SAN REMO ITALY WITH STANDARD MOORING LINES DOUBLED TO THE PIER. USS NOTABLE (MSO 460) IS MOORED OUTBOARD TO PORT. OTHER UNITS OF MINDIV 85 MOORED ASTERN. SOPA IS CDR CE HERBERT, USN, COMINDIV 85 EMBARKED IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE VARIOUS SMALL CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

[signature] LTJG USNR.

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE.

[signature] LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] (766) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MHO-5-19) THURSDAY (Day) 2 JAN (Date) (Month) 19 64

Ø8-12 MOORED AS BEFORE. Ø925 SECURED IN PORT WATCH. SET SPECIAL SEA DETAIL. Ø93Ø CAPTAIN AND NAVIGATOR ON BRIDGE MAKING PREPARATIONS TO GET UNDERWAY. Ø952 DRAFT FWD 10'8" AFT 11' MEAN 10'10". 1013 UNDERWAY FROM MOLE, SAN REMO, ITALY IN ACCORDANCE WITH COMSIXTHFLT EMPLOYMENT SCHEDULE, MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS CLEARING HARBOR. 1026 FORM COLUMN FORMATION CSE 121 SPD 12 THIS SHIP GUIDE IN STATION 1, USS NOTABLE (MSO-468) IN STATION 2, USS RIVAL (MSO-468) IN STATION 3, USS SALUTE (MSO-473) IN STATION 4. 1036 SECURED SEA DETAIL, SET UNDERWAY WATCH SECTION ONE, 1Ø4Ø MADE DAILY INSPECTION OF MAGAZINES AND SHOWERS POWDER SAMPLES; CONDITIONS NORMAL.

J M King
LTJG USNR

12-16 STEAMING AS BEFORE. 15ØØ C/C 115°T C/S 9KTS.

W Stovall LTJG USNR

16-2Ø STEAMING AS BEFORE. 192Ø C/C TO 15Ø°T. 1955 C/C TO 173°T C/S TO 12.Ø KTS.

B D Daly Jr
LTJG USNR

2Ø-24 STEAMING AS BEFORE,

J M King
LTJG USNR

APPROVED: EXAMINED:

T Hastings LT U.S.N. COMMANDING J Sherman (LTJG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION -1A DATE FRIDAY (Day) 3 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM SAN REMO, ITALY TO GOLFO DI PALMAS, SARDINIA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	5	10	CLR	3035	54	50				59		
02	060	4	10	CLR	3034	54	50				60		
03	060	4	10	CLR	3034	54	50				58		
04	060	7	10	CLR	3033	54	50				58		
05	060	7	10	CLR	3032	53	50				58		
06	070	7	10	CLR	3031	53	50				58		
07	080	7	10	CLR	3029	54	50				58		
08	025	7	10	CLR	3029	52	48				59		
09	020	10	10	CLR	3029	52	48				59		
10	020	14	10	BKN	3028	54	50	6	2000	CU	59		
11	020	16	10	BKN	3027	56	51	6	2000	CU	60		
12	010	8	10	BKN	3027	55	50	9	2000	CU	60		
13	010	8	10	OVC	3025	55	50	10	2000	CU	61		
14	050	10	10	OVC	3024	55	50	10	2000	CU	60		
15	030	10	10	OVC	3024	55	50	10	2000	CU	60		
16	030	10	10	OVC	3024	55	50	10	1500	ST/CU	60		
17	030	10	9	OVC	3023	54	50	10	1500	ST/CU	60		
18	030	10	7	R	3023	53	50	10	1200	NS	60		
19	030	10	7	R	3023	53	50	10	1200	NS	60		
20	030	10	7	R	3024	51	50	10	1200	NS	60		
21	030	10	7	R	3024	51	50	10	1200	NS	60		
22	020	10	10	BKN	3023	51	50	8	1200	ST/CU	60		
23	010	10	10	BKN	3022	52	50	7	1600	ST/CU	60		
24	000	15	10	BKN	3020	52	48	8	1000	CU	60		

POSITION	ZONE	TIME
0800		
L 40° 58' N	BY	2
λ 10° 13' E	BY	2
1200		
L 40° 34' N	BY	2
λ 10° 58' E	BY	2
2000		
L 39° 19.5' N	BY	2
λ 10° 13' E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

246

FUEL CONSUMED 0000-2400

2375

REMARKS

0400-1400 STEAMING IN COLUMN FORMATION WITH MINDOIV FS. THIS SHIP IS GUIDE IN STATION #1. USS NOTABLE (MSO 460) IN STATION #2. USS RIVAL (MSO 460) IN STATION #3 AND USS SOLUTE (MSO 480) IN STATION #4 FORMATION COURSE 123°T ~~COURSE~~ SPEED 12 KTS. STANDARD DISTANCE 500 YDS. SOPA IS CDR C.R. HERBERT, USN, COMMDIV 85 EMBARKED IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W. Hill LTJG USNR.

0400-0800 STEAMING AS BEFORE. 0536 TAKING B6 IN FORM 51 FOR REPLENISHMENT WITH TF 61. GUIDE IS USS CASA GRANDE (LSD-13) BEARING 230, RANGE 2700 yds. BASE COURSE 168, SPEED 10-0 KTS. 0540 C/S TO 11-0 KTS. 0642 C/C TO 175°T. 0700 C/C TO 120°T. 0745 MUSTERED CREW ON STATION ABSENTEES: NONE

[signature] LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] (LTJG) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 3 JANUARY (Date) (Month) 19 64

0800-1200 STEAMING AS BEFORE. 0935 SET REPLENISHMENT DETAIL. 1010 COMMENCE APPROACH PORT SIDE TO USS ALTAIR (AKS-32) MANEUVERING TO TAKE STATION. 1026 FIRST LINE OVER. 1036 FIRST LOAD ON DECK. 1044 ALL LINES CLEAR. MANEUVERING TO CLEAR TO STARBOARD. 1100 ~~SPEED~~ C/C TO 250°T. 1101 C/C TO 040°T. 1102 C/S TO 11 KTS. 1115 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 1130 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: CONDITIONS SATISFACTORY.

J.H. King
LT/G USNR

1200-1600 STEAMING AS BEFORE. 1420 MANUEVERING ON VARIOUS COURSES AND VARIOUS SPEEDS TO CLOSE USS CREVALCAN (DDG 18) TO REFUEL 1444 ON STATION. SOUNDED REPLENISHMENT DETAIL 1452 ALL STATIONS MANNED AND READY, COMMENCED APPROACH TO REFUEL ASTERN. 1459 FIRST LINE ON BOARD. 1510 COMMENCED REFUELING.

LT(JG) USNR.

1600-2000 STEAMING AS BEFORE. 1612 CEASED PUMPING FUEL. COMMENCED DISCONNECTING HOSE. 1620 ALL LINES CLEAR. 1625 COURSE 245°T SPEED 11.0 KTS. 1627 C/C TO 260°T C/S TO 12.0 KTS. 1629 C/C TO 250°T 1710 COMPLETED REPLENISHMENT PROCEEDING TO PORTO SCUDA, SARDINIA. 1731 C/C TO 240°T.

B.J. Duff Jr.
LTJG USNR

2000-2400 STEAMING AS BEFORE. 2150 C/C TO 155°T, C/S TO 6 KTS. 2255 C/C TO 245°T, C/S TO 9 KTS. 2315 C/C TO 255°T.

J.H. King
LT/G USNR

APPROVED: J. Curtis Jr. LT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION -1A DATE SATURDAY (Day) 4 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM SAN REMO, ITALY TO GOLFO DI PALMAS, SARDINIA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	E00	18	10	BKN	3020	52	48	9	2000	CU/CB	60		
02	000	12	10	SCT	3020	52	48	3	2000	CU	60		
03	000	12	10	SCT	3020	52	49	4	2000	CU	60		
04	010	13	10	SCT	3021	51	49	4	2000	CU	60		
05	010	13	10	SCT	3022	51	49	4	2000	CU	60		
06	010	13	10	SCT	3023	51	49	4	2000	CU	60		
07	010	13	10	SCT	3023	50	45	4	2000	CU	60		
08	010	13	10	SCT	3025	50	45	4	2000	CU	60		
09	010	13	10	SCT	3026	50	45	4	2000	CU	60		
10	010	8	10	SCT	3027	54	47	2	2000	CU	60		
11	010	8	10	SCT	3026	58	50	2	2000	CU	60		
12	010	6	10	SCT	3025	55	47	3	2000	CU	60		
13	010	8	10	SCT	3023	54	47	4	2000	CU	60		
14	010	8	10	SCT	3021	54	47	5	2000	CU	60		
15	010	8	10	BKN	3021	53	47	6	1500	ST/CU			
16	010	6	10	R	3021	52	47	8	1200	NS			
17	010	8	10	BKN	3021	51	46	7	1500	ST/CU			
18	010	7	10	SCT	3022	49	45	5	2000	CU			
19	010	7	10	SCT	3023	48	44	4	2000	CU			
20	020	6	10	SCT	3022	45	43	4	2500	CU			
21	000	4	10	CLR	3022	45	42						
22	000	6	10	CLR	3024	44	42						
23	000	6	10	CLR	3026	44	41						
24	000	6	10	SCT	3026	43	40	3	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 38° 53.2' N		BY 3
λ 08° 33.7' E		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 114

FUEL CONSUMED 0000-2400: 1937

REMARKS

0000-0400 STEAMING IN COLUMN FORMATION WITH MINDIV 85. THIS SHIP IS GUIDE IN STATION #1, USS RIVAL (MSO 468) IN STATION #2, USS NOTABLE (MSO 440) IN STATION #3 AND USS SALUTE (MSO 420) IN STATION #4 FORMATION COURSE 255°T SPEED 8 KTS. STANDARD DISTANCE 500 YDS. SUPA IS CDR C.E. HERBERT, USN, COMMDIV 85 EMBARKED IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

LTJG USNR.

0400-0800 STEAMING AS BEFORE. 0446 C/C TO 340°T. 0555 C/S TO 6.0 KTS. 0622 C/C TO 040°T. 0633 SET CONDITION 1 HOTEL. MANEUVERING VARIOUS COURSES AND SPEEDS WHILE LAYING DAN BUOY. 0714 COMPLETED LAYING DAN BUOY, SECURED 1 HOTEL. SET ANCHOR DETAIL. MANEUVERING TO ANCHORAGE in PORTO SCUDA, SARDINIA. 0725 ANCHORED IN 25 FATHOMS OF WATER, SANDY MUD BOTTOM, WITH 90 FATHOMS OF CHAIN TO THE (CONT'D)

APPROVED: LT U.S.N. COMMANDING

EXAMINED: LT(JG) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 4 (Date) JAN (Month), 1964

STARBOARD ANCHOR. ∅736 SECURED ANCHOR DETAIL. SET NORMAL ANCHOR WATCH. ∅745 MUSTERED CREW ON STATION. ABSENTEES NONE.

LTJG USNR

∅8-12 ANCHORED AS BEFORE. ∅929 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. ∅93∅ SECURED ANCHOR WATCH. SET SEA DETAIL. ∅958 ANCHOR AWEIGH PROCEEDING IN ACCORDANCE WITH VERBAL ORDERS OF COMINDIV 85 TO MINEFIELD. 1013 SET CONDITION ONE MIKE. 1027 COMMENCED STREAMING GEAR, MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS. 112∅ ALL GEAR STREAMED. 1154 C/C TO ∅5∅°T, C/S 4 KNOTS.

LTJG USNR

12-16 STEAMING AS BEFORE. MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE MINESWEEPING.

LTJG USNR

16-2∅ STEAMING AS BEFORE. 1721 SET CONDITION 1 MIKE. COMMENCED RECOVERY OF GEAR. 1822 ALL GEAR ON DECK. SECURED 1 MIKE. SET ANCHOR DETAIL. MANEUVERING TO ANCHORAGE. 1845 ANCHORED IN 13∅ FEET OF WATER; SANDY MUD BOTTOM, WITH 1∅∅ FATHOMS OF CHAIN TO STARBOARD ANCHOR. SECURED ANCHOR DETAIL. SET NORMAL ANCHOR WATCH.

LTJG USNR

2∅-24 ANCHORED AS BEFORE. 2∅4∅ USS RUBIS (MSO-466) MOORED TO STARBOARD SIDE FOR REFUELING.

LTJG USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION -1A DATE SUNDAY 5, JANUARY, 1964
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ GOLFO DI PALMAS, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	000	6	10	SCT	30.26	44	40	5	2000	NS			
02	000	4	10	SCT	30.26	45	42	5	2000	NS			
03	000	5	10	BKN	30.26	48	44	7	2000	NS			
04	000	5	10	BKN	30.24	51	47	8	2000	NS			
05	000	4	10	OVC	30.22	52	48	10	2000	NS			
06	000	3	10	OVC	30.20	52	48	10	2000	NS			
07	000	4	10	SCT	30.18	52	47	5	2000	NS			
08	000	3	10	SCT	30.19	52	46	5	2000	NS			
09	000	4	10	SCT	30.19	51	46	5	2000	NS			
10	000	5	10	BKN	30.20	51	46	7	2000	NS			
11	000	5	10	BKN	30.21	52	47	9	2000	NS			
12	000	5	10	OVC	30.20	52	48	10	2000	NS			
13	000	5	10	OVC	30.21	53	49	10	2000	NS			
14	000	6	10	OVC	30.20	54	51	10	2000	NS			
15	000	7	10	OVC	30.18	56	52	10	2000	NS			
16	000	7	10	OVC	30.16	57	53	10	2000	NS			
17	000	8	10	OVC	30.17	57	53	10	2000	NS			
18	000	8	10	OVC	30.17	56	52	10	2000	NS			
19	000	8	10	OVC	30.18	55	50	10	2000	NS			
20	000	5	10	OVC	30.18	53	44	10	2000	NS/AC			
21	000	4	10	OVC	30.19	52	48	10	2000	NS/AC			
22	000	11	10	BKN	30.19	52	48	7	2000	NS/AC			
23	000	4	10	BKN	30.20	52	48	6	2000	NS/AC			
24	000	2	10	BKN	30.20	52	48	8	2000	NS/AC			

POSITION	ZONE	TIME
0800		
L 38° 52.8' N	BY	3
λ 08° 34.3' E	BY	3
1200		
L 38° 56.5' N	BY	3
λ 08° 35.6' E	BY	3
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 51

FUEL CONSUMED 0000-2400: 2358

REMARKS

04-04 ANCHORED IN PORTO SCUDO, SARDINIA, IN 130 FOOT OF WATER, MUD BOTTOM, WITH 180 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING BEARINGS: SUPER DAN 180°T, TORRE LIGHT 244°T, PONTE ROMANO 328°T. USS RIVAL (MSO 448) IS MOORED ALONG SIDE TO STARBOARD. OTHER SHIPS PRESENT INCLUDE UNITS OF MINDIV 53. SOPA IS CDR CE HARBERT, USN, COMINDIV 53 EMBARKED IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

LTJG USNR.

04-08 ANCHORED AS BEFORE. 0445 SET SPECIAL SEA DETAIL. MAKING PREPARATIONS FOR GETTING UNDERWAY. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0524 USS RIVAL (MSO-448) UNDERWAY FROM ALONGSIDE. 0527 COMMENCED HEAVING IN ON STARBOARD ANCHOR. 0538 UNDERWAY FROM ANCHORAGE. COURSE 260°T SPEED 20 KTS. 0542 SECURED SEA DETAIL. SET CONDITION 1 MIKE. C/S TO 10.0 KTS. 0552 C/S TO 6.0 KTS. COMMENCED (CONT'D)

APPROVED: LT U.S.N. COMMANDING

EXAMINED: LT(JG) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 5 (Date) JAN (Month) 19 64

STREAMING GEAR. 0706 MAGNETIC TAIL, MK 4 VICTOR, AND MK 6 BAKER STOPPED OFF ON DECK. 0719 C/C TO 063°T SPEED 8.4 KTS MANEUVERING TO THE MINEFIELD. 0745 MUSTERED CREW ON STATION ABSENTEES: NONE.

F D Daly Jr
LTJG USNR

0800-1200 STEAMING AS BEFORE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS MINESWEEPING. 1129 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J R King
LTJG USNR

1200-1600 STEAMING AS BEFORE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE MINESWEEPING.

W Smith LTJG USNR.

1600-2000 STEAMING AS BEFORE. 1657 CEASED PULSING ALL GEAR. COMMENCED RECOVERY. 1754 ALL GEAR CLEAR OF THE WATER. MANEUVERING TO ANCHORAGE. 1822 ANCHORED IN 14 FEET OF WATER, SANDY MUD BOTTOM, WITH 100 FATHOMS OF CHAIN TO STARBOARD ANCHOR. 1830 SET NORMAL ANCHOR WATCH.

F D Daly Jr
LTJG USNR

2000-2400 ANCHORED AS BEFORE.

J R King
LTJG USNR

APPROVED: J Hunter Jr LT U.S.N. COMMANDING

EXAMINED: F Manning LT(JG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 518) ZONE DESCRIPTION -D DATE Monday 6 January (Day) (Date) (Month), 19 64

AT/PASSAGE FROM PORTO SCUDO SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	2	10	BKN	30.20	52	46	9	2000	AC/NS			
02	000	2	10	BKN	30.20	52	48	7	2000	AC/NS			
03	000	2	10	BKN	30.20	51	47	6	2000	AC/NS			
04	000	2	10	BKN	30.19	51	47	6	2000	AC/NS			
05	000	3	10	SCT	30.17	51	49	5	2000	AC/NS			
06	000	3	10	SCT	30.16	51	49	4	2000	NS			
07	000	4	10	SCT	30.16	51	49	4	2000	NS			
08	010	5	10	SCT	30.17	51	49	3	2000	NS			
09	010	3	10	SCT	30.15	54	52	4	2000	NS			
10	010	8	10	SCT	30.16	55	53	5	2000	NS			
11	010	8	10	SCT	30.15	56	54	5	2000	AC/NS			
12	010	9	10	SCT	30.16	62	55	5	2000	AC/NS			
13	010	9	10	SCT	30.17	60	53	3	2000	AC/NS			
14	190	9	10	SCT	30.15	58	53	3	2000	AC/NS			
15	190	14	10	SCT	30.13	58	53	4	2000	AC			
16	190	14	10	SCT	30.12	57	53	4	2000	AC			
17	190	11	10	SCT	30.14	56	52	5	2000	AC			
18	190	11	10	SCT	30.16	55	52	3	2000	AC			
19	245	7	10	SCT	30.16	55	51	4	2000	AC			
20	245	5	10	SCT	30.16	53	50	2	2000	AC			
21	245	5	10	SCT	30.16	52	50	2	2000	AC			
22	245	5	10	CLR	30.16	52	50						
23	245	5	10	CLR	30.16	52	49						
24	245	5	10	CLR	30.16	50	47						

POSITION	ZONE	TIME
0800		
L 38° 56.1' N	BY	3
λ 08° 33.8' E	BY	3
1200		
L 38° 55.7' N	BY	2
λ 08° 38' E	BY	2
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 27

FUEL CONSUMED 0000-2400: 454

REMARKS

0-4 ANCHORED IN PORTO SCUDO, SARDINIA IN 140 FT OF WATER, MUD BOTTOM WITH 5½ FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING BEARINGS: SUPER DON 181°T, TORRO LIGHT 246°T PONTE ROMANO 338°T. SOPA IS COR CDR. HERBERT, USN, COMINDIV 85 EMBARKED IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE OTHER UNITS OF MINDIV 85. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

0-4 - 0-8 ~~MOOR~~ ANCHORED AS BEFORE. 0715 SET ANCHOR DETAIL. MAKING PREPARATIONS FOR GETTING UNDERWAY. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0737 COMMENCED HEAVING IN. 0744 UNDERWAY. PROCEEDING TO MINE HUNTING AREA. 0745 MUSTERED CREW ON STATION ABSENTEES NONE. BJH

LTJG USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability MSO-379 Monday (Day) 6 (Date) June (Month), 1964

0800-1200 STEAMING AS BEFORE, 0820 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE MINESWEEPING. 0943 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J. A. Klenig
LTJG USNR

1200-1600 STEAMING AS BEFORE. MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE SONAR SEARCHING FOR OCEANOGRAPHIC ARRAYS

W. A. Hurd LTJG USNR

1600-2000 STEAMING AS BEFORE. 1610 MANEUVERING TO RECOVER SUPER DANS. 1633 COURSE 270°T SPEED 2.0 KTS. 1718 C/C TO 150°T C/S TO 8.0 KTS. 1737 C/C TO 070°T. 1800 C/C TO 040°T. 1813 MANUVERING TO ANCHORAGE. 1850 ANCHORED IN 175 FEET OF WATER, SAND BOTTOM, with 105 FATHOMS TO STARBOARD ANCHOR.

B. D. Ray
LTJG USNR

2000-2400 ANCHORED AS BEFORE.

J. A. Klenig
LTJG USNR

APPROVED: J. H. Cullum Jr. LT U.S.N. COMMANDING

EXAMINED: [illegible] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability MSO-519 ZONE DESCRIPTION -1A DATE TUESDAY (Day) 7 (Date) JAN (Month), 19 64

AT/~~PASSAGE~~ FROM PORTO SCUDO, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	245	5	10	CLR	3016	50	47						
02	245	5	10	CLR	3016	50	47						
03	245	4	10	SCT	3016	50	47	3	2000	CU			
04	245	4	10	SCT	3016	50	47	4	2000	CU			
05	270	3	10	SCT	3014	49	46	4	2000	CU			
06	270	3	10	SCT	3015	49	46	4	2000	CU			
07	270	2	10	SCT	3015	49	46	4	2000	CU	59		
08	270	2	10	SCT	3015	51	48	5	2000	CU	59		
09	270	2	10	SCT	3015	52	49	5	2000	CU	59		
10	270	5	10	SCT	3017	55	50	5	2000	CU	59		
11	270	5	10	SCT	3019	60	54	5	2000	CU	59		
12	270	6	10	SCT	3017	64	56	5	2000	CU	59		
13	270	6	10	BKN	3015	61	57	7	2000	CU	59		
14	285	6	10	BKN	3014	61	55	7	2000	CU	59		
15	285	7	10	BKN	3012	59	52	7	2000	CU	59		
16	285	7	10	BKN	3012	58	50	7	2000	CU	59		
17	285	10	10	BKN	3014	57	50	7	2000	CU	59		
18	285	10	10	BKN	3016	57	50	7	2000	CU	59		
19	305	7	10	BKN	3016	57	50	6	2000	CU	59		
20	305	7	10	SCT	3016	55	49	2	2000	CU	59		
21	305	7	10	SCT	3017	54	49	2	2000	CU	60		
22	305	7	10	CLR	3017	52	49		~~2000~~				
23	305	7	10	CLR	3017	51	48						
24	305	7	10	CLR	3017	49	46						

~~FAIR~~

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L 38° 40.7' N		BY 3
λ 08° 49.2' E		BY 3
2000		
L 38° 49.6' N		BY 2
λ 08° 48' E		BY 2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 63

FUEL CONSUMED 0000-2400: 706

REMARKS

04-04 ANCHORED IN 125 FT OF WATER, SANDY BOTTOM, WITH 105 FATHOMS OF CABIN TO THE STARBOARD ANCHOR. ON THE FOLLOWING BEARINGS: ISOLA ROSA 318°T, 2000 YDS, CAPO MALFATANO 104°T 7000 YDS. SHIP IS CONDUCTING DAILY OPS FROM ~~SCUDA~~ PORTO SCUDO, SARDINIA. SOPA AND OTC IS CAPT. BOYER, CTF 61, USN EMBARKED IN USS CAMBRIA (APA 36). OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF TF 61. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04-08 ANCHORED AS BEFORE. 0746 MUSTERED CREW AT QUARTERS.
ABSENTEES: NONE.

CDR USN

APPROVED: LT U.S.N. COMMANDING

EXAMINED: LT(jg) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP AGILITY (MSO 519) TUESDAY (Day) 7 (Date) JAN (Month), 19 64

0800-12 ANCHORED AS BEFORE. 0830 SET SEA DETAIL. SECURED ANCHOR WATCH. 0902 CAPTAIN AND NAVIGATOR ON BRIDGE. 0908 UNDERWAY FROM ANCHORAGE. 0919 SECURED SEA DETAIL, SET UNDERWAY WATCH. 1040 C/C TO 225°T. 1120 C/C TO 045°T. 1130 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 1145 C/C TO 225°T.

J. H. King
LTJG USNR

12-16 STEAMING AS BEFORE. 1325 C/C 040°T, 1347 C/C 225°T, 1419 C/C 045°T 1457 C/C 225°T 1538 C/C 282°T S/S 12 KTS.

[signature] LTJG USNR

16-20 STEAMING AS BEFORE. 1605 C/S TO 7.0 KTS. 1606 C/C TO 045°T C/S TO 4.0 KTS. 1629 C/C TO 225°T. 1725 C/C TO 045°T. 1821 C/C TO 045°T 1826 C/C TO 225°T. 1845 C/C TO 254°T. 1911 C/C TO 045°T. 1920 C/C TO 145°T C/S TO 8.0 KTS. 1926 C/S TO 10.5 KTS.

[signature]
LTJG USNR

20-24 STEAMING AS BEFORE. 2230 MANEUVERING TO ASSIGNED ANCHORAGE PORTO SCUDO, SARDINIA. 2242 ANCHORED IN PORTO SCUDO, SARDINIA WITH 115 FATHOMS OF CHAIN TO STARBOARD ANCHOR, SAND BOTTOM, IN 28 FATHOMS OF WATER. SOPA IS CAPTAIN BUYER, USN, CTF 61 IN USS CAMBRIA (APA-36). 2335 USS RIVAL (MSO-468) MOORED TO OUR STARBOARD SIDE.

J. H. King
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO 519 ZONE DESCRIPTION -1A DATE WEDNESDAY (Day) 8 (Date) JAN (Month), 19 64

AT/PASSAGE FROM PORTO SCUDO, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	305	9	10	CLR	30.16	49	46						
02	305	5	10	CLR	30.16	49	46						
03	350	5	10	SCT	30.16	49	46	2	4000	CI	60		
04	350	3	10	SCT	30.16	47	45	2	4000	CI	60		
05	350	3	10	SCT	30.16	47	45	3	4000	CI	60		
06	300	3	10	SCT	30.16	48	45	4	4000	CI	60		
07	300	7	10	SCT	30.17	50	47	4	4000	CI	60		
08	300	4	10	SCT	30.19	50	48	5	4000	CI	60		
09	260	4	10	SCT	30.20	53	50	5	4000	CI	60		
10	260	4	10	SCT	30.20	53	50	3	4000	CI	60		
11	260	4	10	SCT	30.21	53	51	4	4000	CI	60		
12	190	4	10	SCT	30.22	55	53	5	4000	CI	60		
13	190	3	10	BKN	30.21	58	55	7	4000	CI	60		
14	190	3	10	BKN	30.20	57	54	8	4000	CI	60		
15	080	3	10	OVC	30.20	56	53	10	4000	CI/CU	60		
16	080	5	10	OVC	30.20	55	51	10	4000	CI/CU	60		
17	080	5	10	OVC	30.20	55	50	10	4000	CI/CU	60		
18	080	3	10	BKN	30.21	54	50	7	4000	CI/CU	60		
19	080	7	10	BKN	30.21	54	49	6	4000	CI/CU	59		
20	080	5	10	CLR	30.21	53	49				59		
21	060	3	10	CLR	30.20	53	49				59		
22	060	7	10	CLR	30.22	53	49				59		
23	060	7	10	CLR	30.24	52	48				59		
24	060	4	10	CLR	30.24	52	48				59		

POSITION	ZONE	TIME
0800		
L 38° 49.2' N	BY	3
λ 08° 42.5' E	BY	3
1200		
L 38° 50.1' N	BY	3
λ 08° 46.1' E	BY	3
2000		
L 38° 46.9' N	BY	2
λ 08° 43.4' E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 77

FUEL CONSUMED 0000-2400: 1300

REMARKS

Ø0-04 ANCHORED IN PORTO SCUDO, SARDINIA, IN 29 FATHOMS OF WATER, SANDY BOTTOM, WITH 115 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING BEARINGS: ISOLA ROSA; 324°T 2150 YDS, CAPO MALFATADO 105°T 7000 YDS. USS RIVAL (MSO 468) IS MOORED OUTBOARD TO STARBOARD. SOPA IS CAPT BOYER, CTF 61, USN, EMBARKED IN USS CAMBRIA (APA 36). OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF TF 61. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04 - 08 ANCHORED AS BEFORE. 0551 USS RIVAL (MSO-468) UNDERWAY FROM ALONGSIDE. 0605 SET SPECIAL SEA DETAIL MAKING PREPARATIONS FOR GETTING UNDERWAY. 0623 COMMENCED HEAVING IN. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0640 UNDERWAY. COURSE 150°T SPEED 2.0 KTS. 0654 SECURED SEA DETAIL. SET REGULAR UNDERWAY WATCH. 0710 C/C TO 225°T C/S 10 4.0 KTS. 0745 MUSTERED CREW AT ON STATION. ABSENTEES; NONE

882

APPROVED:

LT U.S.N. COMMANDING

EXAMINED:

LT(DC) U.S.N. NAVIGATOR

LTJG USNR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO519) WEDNESDAY (Day) 8 (Date) JAN (Month), 19 64

0800-1200 STEAMING AS BEFORE. 0947 SET SEA DETAIL. MANEUVERING TO MOOR TO USS CHEWAUCAN (AVG-50). 1000 MOORED STARBOARD SIDE TO U.S.S. CHEWAUCAN (AVG-50). 1115 SET SEA DETAIL. 1130 UNDERWAY FROM USS. CHEWAUCAN (AVG-50), PROCEEDING TO ALCATRAZ DUTY. 1145 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES & CONDITIONS NORMAL.

J.H. King
LT(JG) USNR

1200-1600 STEAMING AS BEFORE. 1229 C/C 270°T 1309 C/C 340°T 1340 RELIEVED USS RIVAL (MSO 468) ON FLYCATCHER STATION #3. 1341 C/C 000°T. 1402 C/C 180°T 1448 C/C 000°T 1540 C/C 180°T PROCEEDING TO RELIEVE USS NOTABLE (MSO 460) IN STATION #2 AS FLYCATCHER.

J.H. King LTJG USNR.

1600-2000 STEAMING AS BEFORE. 1622 C/C TO 130°T C/S TO 4.0 KTS. STEAMING ON FLY CATCHER STATION #2. 1744 C/C TO 310°T. 1903 C/C TO 130°T. 1945 C/C TO 110°T C/S TO 6.0 KTS, 1951 C/S TO 10.0 KTS. 1956 C/C TO 100°T.

R.D. Taylor
LTJG USNR

2000-2400 STEAMING AS BEFORE. 2130 SET ANCHOR DETAIL. 2206 ANCHORED IN PORTO SULDO, SARDINIA IN 190 FEET OF WATER WITH 180 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, SAND BOTTOM ON THE FOLLOWING BEARINGS TORRE BEDELLO 354°T, MALSATANO 100°T. 2209 SECURED ANCHOR DETAIL.

J.H. King
LTJG USNR

APPROVED: J. Hutchins Jr. LT U.S.N. COMMANDING

EXAMINED: [illegible] LT(JG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519 ZONE DESCRIPTION -1A DATE Thursday (Day) 9 (Date) JAN (Month), 19 64

AT/PASSAGE FROM PORTO SCUDO SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	4	10	CLR	30.24	51	48						
02	060	4	10	CLR	30.24	50	48						
03	060	4	10	CLR	30.24	49	47						
04	060	4	10	SCT	30.22	50	48	4	2000	NS	60		
05	060	4	10	SCT	30.22	50	48	4	2000	NS	60		
06	060	4	10	SCT	30.22	51	48	5	2000	NS	60		
07	060	4	10	SCT	30.22	51	50	5	2000	NS	60		
08	080	2	10	SCT	30.24	55	52	5	2000	NS	60		
09	090	2	10	SCT	3025	55	52	4	2000	NS	60		
10	090	2	10	SCT	30.25	57	62	4	2000	NS	59		
11	100	2	10	SCT	3026	59	54	2	2000	NS	59		
12	130	2	10	SCT	30.26	63	57	2	2000	NS	59		
13	130	2	10	SCT	30.24	64	58	4	2000	NS	59		
14	130	2	10	SCT	30.23	61	56	4	2000	NS	59		
15	130	3	10	SCT	3023	59	55	5	2000	NS	59		
16	130	3	10	SCT	30.24	57	54	5	2000	NS	59		
17	130	3	10	SCT	30.23	07	53	3	2000	NS	59		
18	130	3	10	SCT	3023	55	52	3	2000	NS	59		
19	030	4	10	CLR	3024	55	52						
20	030	2	10	CLR	3024	55	52						
21	030	2	10	CLR	3025	55	52						
22	350	2	10	CLR	30.25	55	52						
23	350	2	10	CLR	30.25	55	52						
24	350	3	10	CLR	30.25	55	52						

POSITION	ZONE	TIME
0800		
L 38° 46.1' N	BY	3
λ 08° 39' E	BY	3
1200		
L 38° 46.7' N	BY	2
λ 08° 34.2' E	BY	2
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 71

FUEL CONSUMED 0000-2400: 526

REMARKS

~~00-04~~ ANCHORED IN PORTO SCUDO, SARDINIA IN 190 FEET OF WATER, SANDY BOTTOM, WITH 130 FATHOMS OF CHAIN STOPPED OFF TO ENG PORT ANCHOR, ON THE FOLLOWING BEARINGS: ISOLA ROSA 317°T 1950 YDS, CAPO MALFATANO 107, 7260 YDS. SOPA IS CAPT BOYER CTR 61 USN, EMBARKED IN USS CAMBRIA (CAPA 36). USS RIVAL (MSO 468) IS MOORED OUTBOARD TO STARBOARD. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF TF 61. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04-08 ANCHORED AS BEFORE. 0545 SET SPECIAL SEA DETAIL. MAKING PREPARATIONS FOR GETTING UNDERWAY. 0628 USS RIVAL (MSO-468) UNDERWAY FROM ALONGSIDE. 0631 COMMENCED HEAVING IN. 0646 UNDERWAY TO FLYCATCHER STATION. CAPTAIN AND NAVIGATOR ON THE BRIDGE. COURSE 180°T SPEED 6.0 KTS. 0656 C/C TO 210°T C/S TO 8.0 KTS. SECURED SEA DETAIL, SET REGULAR UNDERWAY WATCH. 0745 MUSTERED CREW ON STATION. ABSENTEES: NONE.

LTJG USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: (DEC) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ THURSDAY (Day) 9 (Date) JAN (Month) 64

0800-1200 STEAMING AS BEFORE. 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 0915 C/C TO 130°T. 1113 C/C TO 130°T.

J. H. Kelly
LT, USNR

1200-1600 STEAMING AS BEFORE. 1227 C/C 310°T 1338 C/C 130°T 1455 C/C 310°T

LTJG USNR

1600-2000 STEAMING AS BEFORE. 1612 C/C TO 130°T. 1713 C/C TO 310°T. 1738 C/C TO 095°T. 1745 C/C TO 010°T. 1746 C/C TO 340°T 1755. PROCEEDING TO ~~AA~~ ANCHORAGE. 1957 ANCHORED IN 210 FEET OF WATER, SANDY BOTTOM, WITH 135 FATHOMS OF CHAIN TO PORT ANCHOR. AR2

D. F. Taylor
LTJG USNR

2000-2400 ANCHORED AS BEFORE. 2022 SECURED ANCHOR DETAIL. SET ANCHOR WATCH. USS NETTABLE (MSC-460) MOORED TO OUR STARBOARD SIDE.

J. H. Kelly
LT, USNR

APPROVED: _____ EXAMINED: _____

J. H. Kelly Jr. LT U.S.N. COMMANDING — J. Fleming LT(G) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO 514 ZONE DESCRIPTION -1A DATE FRIDAY (Day) 10 JANUARY (Date) (Month), 19 64

AT/~~PASSAGE~~ FROM PORTO SCUDA, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	4	10	CLR	30.24	54	51						
02	350	4	10	CLR	30.24	54	51						
03	350	4	10	CLR	30.24	53	51						
04	340	4	10	SCT	30.23	54	51	3	2500	AC			
05	340	4	10	SCT	30.22	53	51	5	2500	AC			
06	340	4	10	SCT	30.22	53	51	5	2500	AC			
07	340	4	10	BKN	30.22	53	51	7	2500	AC			
08	340	2	10	BKN	30.23	53	51	4	2500	AC	54		
09	340	2	10	BKN	30.24	54	52	6	2500	AC	54		
10	340	2	10	BKN	30.25	54	52	8	2500	AC	54		
11	340	2	10	BKN	30.26	56	53	6	2500	AC	54		
12	270	2	10	SCT	30.24	60	58	3	2500	AC	54		
13	270	3	10	SCT	30.22	60	58	4	2500	AC	54		
14	270	3	10	SCT	30.22	60	58	3	2500	AC	54		
15	270	4	10	SCT	30.20	60	58	5	2500	AC	54		
16	270	5	10	SCT	30.18	60	56	2	2500	AC	54		
17	270	3	10	SCT	30.14	58	54	2	2500	AC	54		
18	270	3	10	CLR	30.14	56	53				54		
19	050	3	10	CLR	30.20	55	53				54		
20	050	4	10	CLR	30.20	55	52				54		
21	050	5	10	CLR	30.20	54	51				54		
22	050	5	10	CLR	30.20	53	49				54		
23	000	4	10	CLR	30.20	53	49						
24	000	4	10	CLR	30.19	51	48						

POSITION	ZONE	TIME
0800		
L 38° 51.7' N	BY	3
λ 08° 34.3' E	BY	3
1200		
L 38° 55.3' N	BY	3
λ 08° 34.2' E	BY	3
2000		
L 38° 53.9' N	BY	2
λ 08° 32.1' E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 76

FUEL CONSUMED 0000-2400: 1354

REMARKS

Ø0-Ø4 ANCHORED IN PORTO SCUDO, SARDINIA IN 210 FT OF WATER, SANDY BOTTOM, WITH 135 FATHOMS OF CHAIN STOPPED OFF ON DECK TO THE PORT ANCHOR ON THE FOLLOWING BEARINGS. ISOLA ROSA 309°T RANGE 6660 YDS, CAPO MALFATANO 082°T 2720 YDS. USS NOTABLE (MSO 460) IS MOORED OUTBOARD TO STARBOARD. SOPA IS CAPT. BOYER, CTF 61, USN, EMBARKED IN USS CAMBRIA (APA 36). OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF TF 61. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. LTJG USNR

Ø4-Ø8 ANCHORED AS BEFORE. Ø545 SET SPECIAL SEA DETAIL. MAKING PREPARATIONS FOR GETTING UNDERWAY. Ø605 USS NOTABLE (MSO-460) UNDERWAY FROM ALONGSIDE. Ø608 COMMENCED HEAVING IN. Ø625 UNDERWAY FOR FLY CATCHER STATION #3. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0644 COURSE 245°T SPEED 7.Ø KTS. SECURED SEA DETAIL. SET REGULAR UNDERWAY WATCH. Ø73Ø C/C TO 285°T. Ø745 MUSTERED CREW ON STATION. ABSENTEES: NONE. LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ACTIVE (MSO 519) FRIDAY (Day) 10 (Date) JAN (Month) 64

0800-1200 STEAMING AS BEFORE. 0815 C/C TO 000°T. 0817 C/S TO 4 KTS. MANEUVERING TO MARK HYDROGRAPHIC SURVEY ARRAY. 1020 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 1030 MADE WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM: CONDITIONS SATISFACTORY.

J A King
LTjg USNR

1200-1600 STEAMING AS BEFORE. 1255 S/C 030°T 1355 S/C 210°T 1458 S/C 030°T 1555 S/C 210°T

[illegible] LTJG USNR

1600-2000 STEAMING AS BEFORE. 1656 C/C TO 030°T. 1750 C/C TO 210°T. 1840 C/C TO 030°T. 1922 C/C TO 270°T.

B F Doyle Jr
LTJG USNR

2000-2400 STEAMING AS BEFORE. 2238 SET ANCHOR DETAIL. 2254 ANCHORED IN PUERTO SUCRE IN 170 FEET OF WATER WITH 135 FATHOMS OF CHAIN TO THE PORT ANCHOR, SAND BOTTOM. SOPA IS CAPTAIN BOYER, USN, CTF 61. 2326 USS NOTABLE (MSO-466) MOORED TO OUR STARBOARD SIDE.

J A King
LTjg USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS IFBICLTY MSO-379 ZONE DESCRIPTION -1A DATE SATURDAY (Day) 11 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ PORTO SCUDO, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	4	10	CLR	30.19	50	48						
02	000	4	10	CLR	30.19	50	48						
03	000	4	10	CLR	30.20	50	48						
04	000	4	10	CLR	30.20	50	48						
05	010	4	10	CLR	30.20	50	48						
06	010	4	10	CLR	30.19	50	46						
07	010	4	10	SCT	30.18	50	48	2	2000	NS	54		
08	010	3	10	SCT	30.22	53	51	4	2000	NS	54		
09	010	2	10	SCT	30.22	55	53	4	2000	NS	54		
10	010	2	10	BKN	30.22	54	55	6	2000	NS	54		
11	185	3	10	BKN	30.24	61	56	8	2000	NS	54		
12	185	3	10	BKN	30.22	58	53	9	2000	NS	54		
13	185	3	10	BKN	30.21	58	54	10	2000	NS	54		
14	185	3	10	BKN	30.21	54	54	10	2000	NS	54		
15	130	4	10	BKN	30.20	59	56	8	2000	NS/AC	54		
16	130	4	10	BKN	30.20	58	55	8	2000	NS/AC	54		
17	130	4	10	BKN	30.21	57	54	8	2000	NS/AC	54		
18	130	4	10	BKN	30.21	56	53	7	2000	AC	54		
19	160	4	10	BKN	30.22	56	52	6	2000	AC	54		
20	160	4	10	BKN	30.23	54	52	8	2000	AC	54		
21	160	8	10	BKN	30.23	54	53	9	2000	AC	54		
22	180	12	10	BKN	30.24	56	53	7	2000	AC	54		
23	140	15	10	BKN	30.25	56	54	7	2000	AC			
24	180	15	10	BKN	30.26	56	54	7	2000	AC			

POSITION	ZONE	TIME
0800		
L 38° 53.2' N	BY	3
λ 08° 32.4' E	BY	3
1200		
L 38° 46.9' N	BY	3
λ 08° 40.7' E	BY	3
2000		
L 38° 48.1' N	BY	2
λ 08° 44.2' E	BY	2

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 78

FUEL CONSUMED 0000-2400: 775

REMARKS

ØØ-Ø4 ANCHORED IN PORTO SCUDA BAY, SARDINIA IN 17b FEET OF WATER, SANDY BOTTOM, WITH 135 FATHOMS OF CHAIN TO PORT ANCHOR: ON THE FOLLOWING BEARINGS – PUNTA PIRASTU 307°T, CAPO DI PISCINNI Ø81°T, PTA DI LEVANTE 238°T. USS NOTABLE (MSO-466) MOORED TO STARBOARD. SOPA AND OTC CAPT. W.G. BOYER, COMPHIBRON 6, IN THE USS CORONA (APA 36). OTHER SHIPS PRESENT INCLUDE UNITS OF TASK FORCES 6Ø AND 61. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

Ø4-Ø8 ANCHORED AS BEFORE. Ø515 SET SPECIAL SEA DETAIL. Ø546 COMMENCED HEAVING IN ANCHOR. CAPTAIN AND NAVIGATOR ON BRIDGE. Ø61Ø UNDERWAY FOR REFUELING STATION NUMBER THREE. Ø614 4/S TO 1 KT. C/C TO 220°T. Ø622 C/S 5 KTS. C/C TO 220°T. Ø645 C/C TO 270°T. Ø652 (CONTINUED)

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ (for) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 SATURDAY (Day) 11 (Date) JAN (Month), 19 64

0800-1200 CONTINUED. C/C TO 290°T. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES; NONE.

J.R. King
LT/G USNR

0800-1200 STEAMING AS BEFORE, MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE SONAR SEARCHING FOR OCEANOGRAPHIC ARRAYS. 1011 COMMENCED RECOVERY OF ARRAY. 1015 ARRAY ON BOARD. 1036 MANUVERING TO PICK UP DAN BUOY. 1042 DAN BUOY ON BOARD. 1102 C/C 140°T C/S 12 KTS. 1130 C/C 090°T 1140 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL

LTJG USNR

1200-1600 STEAMING AS BEFORE. 1214 C/C TO 025°T 1233 C/C TO 344°T 1245 SET SPECIAL SEA DETAIL. MANEUVERING TO GO ALONG SIDE USS HYADES (AF-28) FOR REPLENISHMENT. 1321 MOORED STARBOARD SIDE TO USS HYADES. 1330 SECURED SEA DETAIL. COMMENCED REPLENISHMENT. 1424 SET SEA DETAIL. COMPLETED REPLENISHMENT. 1433 UNDERWAY from ALONGSIDE USS HYADES. PROCEEDING TO FLYCATCHER STATION #2. 1445 SECURED SEA DETAIL. SET REGULAR UNDERWAY WATCH. 1518 ARRIVED STATION #2. COURSE 050°T SPEED 5.0 KTS. 1550 C/C TO 135°T C/S TO 4.0 KTS.

B.J. Daugherty Jr.
LTJG USNR

1600-2000 STEAMING AS BEFORE. 1603 C/C TO 225°T. 1729 C/C TO 090°T C/S TO 7 KTS. 1731 C/S TO 10 KTS. 1743 C/S TO 4.5 KTS, C/C TO 045°T. 1900 C/C TO 225°T.

J.R. King
LT/G USNR

2000-2400 STEAMING AS BEFORE. 2045 C/C 045°T 2158 C/S 4 KTS 2205 C/C 331°T. SOUNDED SEA DETAIL 2215 MANOUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO MOOR STARBOARD SIDE TO USS CHEVENNAH (AGB 50) 2251 FIRST LINE OVER 2315 ALL LINES DOUBLED. SECURED SEA DETAIL AND SET REGULAR ANCHOR WATCH.

LTJG USNR

APPROVED: EXAMINED:

J.R. King, LT U.S.N. COMMANDING (Cunningham LTJG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION -1A DATE SUNDAY (Day) 12 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ PORTO SCUDA, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	15	10	BKN	3027	55	52	7	2500	CU			
02	090	12	10	BKN	3026	55	52	7	2500	CU			
03	090	13	10	BKN	3026	55	52	8	2500	CU			
04	090	6	10	BKN	3025	55	52	8	2500	CU	54		
05	100	8	10	BKN	3025	55	52	9	1200	ST/CU	54		
06	100	8	9	OVC	3025	55	52	10	1200	ST	54		
07	100	8	4	R	3025	55	52	10	1000	NS	59		
08	110	6	4	R	3025	55	53	10	1000	NS	59		
09	110	12	9	OVC	3026	56	54	10	1500	ST/CU	59		
10	110	10	10	OVC	3028	56	53	10	1500	ST/CU	59		
11	110	10	10	BKN	3028	57	54	9	2500	CU	59		
12	120	10	10	BKN	3024	59	55	8	2500	CU	59		
13	120	10	10	BKN	3023	60	56	8	2000	CU	59		
14	130	8	10	BKN	3021	58	54	8	2000	CU	59		
15	130	8	10	BKN	3021	58	54	6	2000	CU	59		
16	130	8	10	SCT	3021	58	54	5	2000	CU	59		
17	110	8	10	SCT	3020	59	55	4	2000	CU	59		
18	110	8	10	SCT	3020	57	54	4	2000	CU	59		
19	110	10	10	SCT	3020	57	54	3	2000	CU	59		
20	110	10	10	SCT	3022	56	54	3	2000	CU	59		
21	110	10	10	CLR	3024	58	54				59		
22	110	10	10	CLR	3024	58	54						
23	110	10	10	CLR	3022	58	54						
24	100	12	10	CLR	3022	54	50						

POSITION	ZONE	TIME
0800		
L 38° 54.9' N	BY	2
λ 08° 36.2' E	BY	2
1200		
L 38° 53' N	BY	2
λ 08° 31' E	BY	2
2000		
L 38° 59.7' N	BY	3
λ 08° 32.3' E	BY	3

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 78

FUEL CONSUMED 0000-2400: 1040

REMARKS

0000-0004 MOORED STARBOARD SIDE TO USS CHEWAUCAN (AOG 50) WITH STANDARD MOORING LINES DOUBLED ~~TO THE PIER~~ SOPA: CAPT. W. G. BOYER, COMPHIBRON 6 IN USS CAMBRIA (APA 36). OTHER SHIPS PRESENT INCLUDE SHIPS OF TF 61 AND 60. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. 332

B. D. [illegible]
LTJG USNR

0004-0008 MOORED AS BEFORE. 0515 SET SEA DETAIL. 0648 UNDERWAY FROM STARBOARD SIDE USS CHEWAUCAN (AOG-50). 0655 C/C TO 224°T. 0656 C/C TO 234°T, C/S TO 11 KTS. 0712 C/C TO 250°T. 0718 C/C TO 270°T. 0738 C/C TO 310°T. 0745 MUSTERED THE CREW ON STATION; ABSENTEES: NONE.

J. A. King
LTJG USNR

APPROVED:

[signature] CT
U.S.N. COMMANDING

EXAMINED:

[signature] (LTJG)
U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO 519 SUNDAY (Day) 12 (Date) JAN (Month), 19 64

0R-12 STEAMING AS BEFORE 0824 C 180°T 0916 C 000°T 0955 C 180°T 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 1037 C 000°T 1220 C 175°T

J.H. Kuehl LTJG USNR

12-16 STEAMING AS BEFORE 1210 C TO 045°T 1252 C TO 170°T 1405 C TO 270°T S/S TO 8 KTS. 1411 C TO 090°T S/S TO 4 KTS 1416 C TO 180°T 1508 C TO 000°T

J.H. Kuehl LTJG USNR

16-20 STEAMING AS BEFORE. 1700 C/C TO 010°T. 1715 C/C TO 170°T, 1804 C/C TO 120°T, C/S TO 6 KTS. 1950 C/S TO 6 KTS. C/C TO 070°T.

J.H. Kuehl
LTJG USNR

20-24 STEAMING AS BEFORE. MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO ANCHORAGE. 2011 ANCHORED IN PORTO SCUDO SICILY IN 155 FT OF WATER, SAND BOTTOM WITH 135 FATHOMS OF CHAIN TO THE PORT ANCHOR 2025 SECURED SEA DETAIL AND SET THE REGULAR ANCHOR WATCH. 2045 USS RIVAL (MSO 468) MANUVERED TO MOOR ALONG SIDE TO STARBOARD, STRUCK OUR STARBOARD APRON, FRAME 20, TEARING LOOSE ONE SECTION OF PLANKING APPROX 3 FT LONG. USS RIVAL (MSO 468) DID NOT MOOR BECAUSE OF POOR MOORING CONDITIONS. 2245 SECURED SEA DETAIL AND MADE ALL NECESSARY PREPORATIONS FOR GETTING UNDERWAY. 2310 ANCHORS AWAY, MANUVERING ON VARIOUS COURSES AND SPEEDS TO RE ANCHOR. 2337 ANCHORED IN PORTO SCUDA BAY, SARDINIA IN 165 FT OF WATER, SAND BOTTOM WITH 135 FATHOMS OF CHAIN TO PORT ANCHOR ON FOLLOWING BEARINGS: FIRST a 304°T RED 318°T PUNTA OSCA°T. 2345 SECURED ANCHOR DETAIL AND SET ANCHOR WATCH.

J.H. Kuehl LTJG USNR

APPROVED: EXAMINED:

J.H. Kuehl Jr. LT U.S.N. COMMANDING — (LTJG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO 519 ZONE DESCRIPTION -1A DATE MONDAY (Day) 13 (Date) JAN (Month), 19 64

AT/~~PASSAGE~~ FROM PORTO SCUDO BAY, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	110	15	10	CLR	3022	58	54						
02	140	17	10	CLR	3022	57	54						
03	140	17	10	CLR	3021	57	54						
04	140	20	10	CLR	3018	57	54						
05	140	20	10	CLR	3017	57	54						
06	140	12	10	SCT	3015	57	54	2	4500	AC	59		
07	140	12	10	SCT	3018	57	54	2	4500	AC	54		
08	140	12	10	SCT	3012	57	54	5	4500	AC	59		
09	140	12	10	SCT	3012	57	54	3	4500	AC	59		
10	140	12	10	SCT	3016	59	54	3	4500	AC	59		
11	160	15	10	SCT	3014	60	55	3	3500	CI/AC	59		
12	160	15	10	SCT	3012	58	54	3	3500	CI/AC	59		
13	145	14	10	SCT	3011	58	54	5	3500	CI/AC	59		
14	145	14	10	BKN	3010	59	53	7	3000	CI/CU	59		
15	145	14	10	BKN	3011	58	53	7	3000	CI/CU	59		
16	140	8	10	BKN	3011	59	54	7	3000	CI/CU	59		
17	140	8	10	BKN	3011	57	54	8	3000	CI/CU	59		
18	140	8	10	BKN	3012	57	54	8	3000	CU	59		
19	140	8	10	BKN	3012	57	54	8	3000	CU	59		
20	080	9	10	BKN	3012	59	56	8	3000	CU	59		
21	080	9	10	OVC	3012	58	55	10	3000	CU	59		
22	080	9	10	OVC	3012	56	52	10	3000	CU	59		
23	080	6	10	OVC	3014	58	56	10	3000	CU	59		
24	080	6	10	OVC	3014	57	56	10	3000	CU	59		

POSITION	ZONE	TIME
0800 L 38°54'N	BY	2
λ 08°29.8'E	BY	2
1200 L 38°52.8'N	BY	2
λ 08°31.1'E	BY	2
2000 L 38°50.4'N	BY	2
λ 08°36.6'E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 106

FUEL CONSUMED 0000-2400: 886

REMARKS

0600-0604 ANCHORED IN PORTO SCUDO BAY, SARDINIA IN 145 FT OF WATER, SANDY BOTTOM, WITH 85 FATHOMS OF CHAIN TO THE PORT ANCHOR ON THE FOLLOWING BEARINGS: PIRATA 304°T, ROSSA 318°T, PISCINNI 086°T. SOPA IS CAPT W.C. BAKER, COMPHIBRON 6 EMBARKED IN USS CAMBRIA (LPD 36). OTHER SHIPS PRESENT INCLUDE UNITS OF TF 60 AND TG 61. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

W.H. Hall LTJG USNR

0604-0608 ANCHORED AS BEFORE. 0615 SET SPECIAL SEA DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0617 ANCHOR AWEIGH UNDERWAY TO RV-CATCHER STATION. 0625 SECURED SEA DETAIL. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO STATION. 0745 MUSTERED

(CONTINUED)

APPROVED: J. Kuehnle Jr. LT U.S.N. COMMANDING

EXAMINED: J. Mennen LT(jg) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (AMSO-519) MONDAY (Day) 13 (Date) JAN (Month), 1964

04-08 CONTINUED. THE CREW AT QUARTERS, ABSENTEES: NONE.

J.A. Klug
LTjg USNR

08-12 STEAMING AS BEFORE. DISS ARRIVED ON FLYCATCHER STATION. C/C 120°T 0934 C/320°T 0954 S/5 4KTS 1020 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. H02 C/320°T 1132 S/5 2KTS C/140°T

W.W. Reid LTJG USNR

12-16 STEAMING AS BEFORE. 1304 C/C TO 320°T, C/S TO 6.0 KTS. 1335 C/C TO 140°T, C/S TO 4.0 KTS. 1429 C/S TO 6.0 KTS. C/C TO 320°T 1512 C/C TO 140°T, C/S TO 4.0 KTS. 1522 C/C TO 160°T.

J.A. Klug
LTjg USNR

16-24 STEAMING AS BEFORE. 1646 SET SPECIAL SEA DETAIL. 1647 C/C TO 110°T. 1659 C/S TO 8 KTS. C/C TO 100°T. CAPTAIN AND NAVIGATOR ON BRIDGE. 1717 MOORED STARBOARD SIDE TO U.S.S. TERREBONNE PARISH (LST 1156) FOR REFUELING. 1724 UNDERWAY FROM ALONGSIDE. 1726 C/C TO 6 KTS, C/C TO 250°T. 1735 C/C TO 230°T. 1736 SECURED SEA DETAIL. 1746 C/C TO 160°T.

J.A. Klug
LTjg USNR

24-24 STEAMING AS BEFORE. 2042 C/C 090°T 2029 C/C 200°T

W.W. Reid LTJG USNR

APPROVED: J.K. Bellinger Jr. LT U.S.N. COMMANDING

EXAMINED: [illegible] (ASW) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION = 1A DATE TUESDAY 14 JANUARY, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PORTO SCUDO, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	6	10	OVC	30.14	57	56	10	3000	AC			
02	180	6	10	OVC	30.13	56	54	10	3000	AC			
03	180	6	10	OVC	30.13	55	52	10	3000	AC			
04	180	4	10	BKN	30.12	55	52	6	3000	AC	59		
05	180	4	10	SCT	30.12	55	52	5	3000	AC	59		
06	180	2	10	SCT	30.13	56	53	5	3000	AC	59		
07	180	2	10	SCT	30.14	56	53	5	3000	AC	59		
08	300	3	10	SCT	30.15	55	53	3	3000	AC	59		
09	250	1	10	CLR	30.16	62	58				59		
10	290	1	10	CLR	30.16	62	58				59		
11	180	1	10	CLR	30.17	63	59				59		
12	180	1	10	CLR	30.17	64	60				59		
13	260	1	10	SCT	30.15	72	65	2	1600	CU	59		
14	260	1	10	SCT	30.15	73	66	2	1600	CU	59		
15	260	1	10	SCT	30.15	73	66	2	1600	CU	59		
16			10	SCT	30.14	68	62	2	1600	CU	59		
17			10	SCT	30.14	65	60	2	1600	CU	58		
18			10	SCT	30.13	63	59	2	1600	CU	58		
19			10	CLR	30.12	62	59				58		
20	090	2	10	CLR	30.15	60	58				59		
21			10	CLR	30.15	58	56				59		
22	080	3	10	CLR	30.15	57	55				59		
23	080	2	10	CLR	30.15	57	55				59		
24	080	2	10	CLR	30.15	57	55				59		

POSITION	ZONE	TIME
0800		
L 38° 54.4' N	BY	3
λ 08° 42.7' E	BY	3
1200		
L 38° 52.8' N	BY	2
λ 08° 32.2' E	BY	2
2000		
L 39° 20' N	BY	2
λ 08° 08.7' E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 161

FUEL CONSUMED 0000-2400: 1940

REMARKS

00-04 STEAMING INDEPENDENTLY OFF COAST OF SARDINIA IN ACCORDANCE WITH VERBAL INSTRUCTIONS OF CTG 61.9. SOPA AND OTC IS CAPTAIN W.G. ROWER, USN, CTF 61, COMPHIBRON 6 IN U.S.S. CAMBRIA (APA-36). SHIPS PRESENT INCLUDE UNITS OF TF 60 AND 61. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET, CSE 180°T, SPEED 9.0 KTS. 0055 SET REPLENISHMENT DETAIL. 0117 MAKING APPROACH ON USS TARRERSONLE PARISH (LST-1179). 0/S TO 7.0 KTS. 0130 FIRST LINE OVER. 0143 COMMENCED RECEIVING FUEL. 0201 COMMENCED REPLENING. 0210 ALL LINES CLEAR, 0/C TO 043°T, 0/S TO 2.0 KTS. 0337, 0/C TO 092°T.

LT USN, USNR

04-08 STEAMING AS BEFORE. 0425 0/C TO 270°T, MANEUVERING ON PLAYLATHER STATION ONE. 0719 0/S TO ALL STOP TO LAUNCH WHALEBOAT. 0725 C.A. HERBERT, COX, USN, COMINDIV 85 (CONTINUED)

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ CTG 9 U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 14 (Date) JANUARY (Month) 19 64

0400-0800 CONTINUED. COMINDIV 85 DEPARTED THE SHIP FOR TWO DAYS TAD. COMMANDING OFFICER, U.S.S. RIVAL (MSO-468) ASSUMED ACTING COMDIV 85.

J. H. Kemp
LTJG USNR

0800-1200 STEAMING AS BEFORE. 0810 MOTOR WHALEBOAT BROUGHT ABOARD AND PLACED IN SKIDS. 0814 C 225°T S 6 KTS. 0901 C 347°T 0940 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO PLANT DAN BUOY 1002 FOUR DIVERS INTO WATER. 1024 DIVER RECOVERED HYDROGRAPHIC ARRAY AND BROUGHT ABOARD SHIP 1036 MANEUVERING TO RECOVER DAN BUOY 1039 DAN BUOY RECOVERED. 1042 S 6 KTS C 180°T 1057 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 1107 S 2 KTS 1145 S 6 KTS, C 265°T 1156 C 285°T

W. H. Kimball LTJG USNR

1200-1600 STEAMING AS BEFORE. 1408 C TO 325°T. 1433 S TO 2.0 KTS. 1521 LIT OFF STBD MAIN ENGINE. 1526 C/S TO 6.0 KTS. 1542 C TO 340°T. 1558 C TO 320°T.

D. A. Lyle
LTJG USNR

1600-2000 STEAMING AS BEFORE. 1608 EXERCISED THE CREW AT GENERAL QUARTERS FOR QUARTERLY EXERCISE. SET MATERIAL CONDITION ZEBRA. 1642 COMMENCED FIRING TO PORT. 1652 CEASED FIRING. 1655 SET MATERIAL CONDITION YOKE. 1700 SECURED FROM GENERAL QUARTERS. AMMUNITION EXPENDED: 96 RDS Cal. 30 M-1, 18 RDS 4/0 MM HE; NO CASUALTIES. 1708 S TO 10.5 KTS. C TO 337°T. 1809 C TO 000°T, C/S TO 6 KTS.

J. H. Kemp
LTJG USNR

2000-2400 STEAMING AS BEFORE.

W. H. Kimball LTJG USNR.

APPROVED: J. H. Kemp LT U.S.N. COMMANDING

EXAMINED: D. Greenwood (LTJG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION -1A DATE WEDNESDAY (Day) 15 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM PORTO SCUDO, SARDINIA TO PORTE CONTE, SARDINIA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	4	10	CLR	30.13	56	53				59		
02	180	4	10	CLR	30.12	56	54				59		
03	180	4	10	CLR	30.11	56	54				59		
04			10	CLR	30.12	55	53				59		
05			10	CLR	30.12	55	53				59		
06	050	3	10	CLR	30.12	54	53				59		
07	050	3	10	CLR	30.12	54	53				59		
08	050	4	10	SCT	30.13	54	52	5	4000	C1	59		
09	050	4	10	SCT	30.14	54	52	5	4000	C1	59		
10	080	3	10	SCT	30.15	58	55	4	4000	C1	59		
11	080	3	10	SCT	30.15	61	58	4	4000	C1	59		
12	080	2	10	SCT	30.15	64	60	3	4000	C1	59		
13	080	2	10	SCT	30.14	67	62	1	4000	C1	59		
14	080	2	10	SCT	30.12	72	64	1	4000	C1	59		
15			10	CLR	30.11	76	60				59		
16			10	CLR	30.10	63	58				59		
17			10	CLR	30.10	60	57				59		
18			10	CLR	30.11	57	54				59		
19	300	3	10	CLR	30.12	55	53				59		
20	300	3	10	CLR	30.12	55	53				59		
21	300	3	10	CLR	30.12	54	52				59		
22	300	3	10	CLR	30.12	54	52				59		
23	350	3	10	CLR	30.12	54	52				59		
24	010	3	10	CLR	30.13	55	51				59		

EWL

POSITION	ZONE	TIME
0800		
L 40° 31' N	BY	3
λ 08° 10.1 E	BY	3
1200		
L 40° 35.2' N	BY	3
λ 08° 09.8' E	BY	3
2000		
L 40	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 61

FUEL CONSUMED 0000-2400: 14/31

REMARKS

0000-0004 STEAMING OFF COAST OF SARDINIA IN DIAMOND FORMATION BASE CSE 000°T, BASE SPEED 7.0 KTS. THIS SHIP IN STATION #3, USS RIVAL (MSO-468) GUIDE IN STA #1, USS NOTABLE (MSO-466) IN STA #2. SOPA AND OTC IS A.J. MASHAW, COR, USN IN U.S.S. RIVAL (MSO-468). SHIP IS IN CONDITION X READINESS IV WITH MATERIAL CONDITION YOKE SET.

LTJG USN

0004-0008 STEAMING AS BEFORE. 0532 FORMED COLUMN FORMATION BASE CSE 270°T, BASE SPEED 5 KTS, USS NOTABLE (MSO-466) ASSUMES OTC, GUIDE IN STA #1, THIS SHIP IN STA #2. 0612 C/C TO 045°T, C/S TO 6 KTS. 0705 STOPPED TO TRANSFER OBSERVERS. 0719 C/C TO 260°T C/S TO 2 KTS. 0745 MUSTERED THE CREW AT QUARTERS: ABSENTEES NONE.

LTJG USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 WEDNESDAY (Day) 15 (Date) JAN (Month) 19 64

08-12 STEAMING AS BEFORE. 0914 S/C 000°T 0934 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0940 SET CONDITION I HOTEL FOR DAN BUOY EXERCISE. 1101 MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING EXERCISES. 1122 PLANTED #1 DAN BUOY 1124 PLANTED #2 DAN BUOY 1137 #3 DAN BUOY 1128 #4 DAN BUOY 1140 #5 DAN BUOY 1154 PLANTED #6 DAN BUOY 1157 MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO RECOVER DAN BUOYS.

LTJG USNR

12-16 STEAMING AS BEFORE. 1355 ALL DAN BUOYS HOISTED. PROCEEDING TO ANCHORAGE. 1414 ANCHORED IN PORTO CONTE BAY, SARDINIA IN 36 FEET OF WATER, SHALE BOTTOM, WITH 3½ FATHOMS OF CHAIN TO STARBOARD ANCHOR. ON THE FOLLOWING BEARINGS: NUOBA TOWER 096°/1020 yd CAPO CACCIA 312°/5000 yds. SECURED UNDERWAY WATCH. SET NORMAL ANCHOR WATCH.

LTJG USNR

16-20 ANCHORED AS BEFORE.

LTJG USNR

20-24 ANCHORED AS BEFORE.

LTJG USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION -1A DATE THURSDAY (Day) 16 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ PORTO CONTE BAY, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01			10	CLR	3012	55	52						
02	350	1	10	CLR	3011	53	51						
03	350	2	10	CLR	3012	52	50						
04	350	1	10	CLR	3011	50	48						
05	370	1	10	CLR	3011	50	48						
06	040	1	10	CLR	3011	50	48						
07	030	1	10	CLR	3011	50	48						
08	010	2	10	SCT	3011	53	51						
09	335	2	10	SCT	3011	55	52	2	3000	CU			
10	350	2	10	SCT	3014	57	54	2	2000	CU			
11	350	2	10	SCT	3014	58	55	2	2000	CU			
12	005	2	10	SCT	3012	63	58	3	2000	CU			
13	010	2	10	SCT	3012	65	59	3	2000	CU			
14	010	3	10	SCT	3011	69	62	3	2000	CU			
15	000	3	10	SCT	3010	68	60	3	2000	CU			
16	000	4	10	SCT	3010	67	59	3	2000	CU			
17	000	5	10	SCT	3010	64	57	3	2000	CU			
18	000	3	10	CLR	3011	57	54						
19	000	4	10	CLR	3011	57	54						
20	000	5	10	CLR	3014	55	53						
21	000	8	10	CLR	3014	54	51						
22	000	5	10	CLR	3017	53	51						
23	060	6	10	CLR	3017	52	50						
24	000	6	10	CLR	3020	53	50						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

~~63~~ 0 EHR

FUEL CONSUMED 0000-2400

687

REMARKS

0000-0400 ANCHORED IN PORTE CONTE BAY, SARDINIA IN 30 FEET OF WATER, SHALE BOTTOM, WITH 30 FATHOMS OF CHAIN TO STARBOARD ANCHOR. ON THE FOLLOWING BEARINGS: CAPO CACCIA - 214°T. PTA DEL BELLI - 222°T. TOWER NUOVA - 090°T. SOPA: Cmdr. A.J. MASHAW, CO USS RIVAL (MMS0-468). OTHER SHIPS PRESENT INCLUDE USS RIVAL (MSO-468) AND USS NOTMUK (MMSO-460). SHIP IS IN CONDITIONS OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

B.B. Duff
CTJG USNR

0400-0800 ANCHORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS: ABSENTEES: NONE.

J.A. King
CTJG USNR

APPROVED:

J. Kennedy CT
U.S.N. COMMANDING

EXAMINED:

J. Mennig (CTJG)
U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 Thursday (Day) 16 (Date) JAN (Month), 19 42

08-12 ANCHORED AS BEFORE. 0954 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL

LTJG USNR.

12-16 ANCHORED AS BEFORE. 1400 CmdR. C. A. HERBERT RETURNS AND ASSUMES ~~DUTIES~~ DUTIES AS SOPA.

1942

LTJG USNR

16-24 ANCHORED AS BEFORE.

LTJG USNR

24-24 ANCHORED AS BEFORE.

LTJG USNR.

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ (T04) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION -1A DATE FRIDAY (Day) 17 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	3	10	CLR	3020	53	49						
02	010	3	10	CLR	3022	53	49						
03	090	4	10	CLR	3024	52	50						
04	080	4	10	CLR	3025	52	50						
05	090	6	10	CLR	3026	52	50						
06	060	6	10	CLR	3026	51	49						
07	060	6	10	SCT	3028	50	48	4	2500	HC/CU			
08	060	6	10	SCT	3030	54	50	4	2500	HC/CU			
09	050	8	10	SCT	3032	54	50	5	3000	AC/CU			
10	080	8	10	BKN	3032	54	50	8	3000	AC/CU			
11	080	15	10	BKN	3038	52	48	9	3000	AC/CU			
12	080	15	10	BKN	3038	53	48	9	3000	AC/CU			
13	050	15	10	BKN	3038	53	47	9	3000	HC	58		
14	050	15	10	BKN	3038	53	49	9	3000	HC	58		
15	050	15	10	BKN	3038	53	49	9	3000	HC	58		
16	050	12	10	BKN	3039	52	48	8	3000	HC	58		
17	050	12	10	BKN	3039	53	49	7	3000	HC	58		
18	050	15	10	SCT	3039	52	48	5	3000	HC	58		
19	050	15	10	SCT	3043	50	46	5	3000	HC	57		
20	050	15	10	SCT	3043	49	45	5	3000	HC	57		
21	050	15	10	SCT	3043	50	47	3	3000	HC	57		
22	050	10	10	SCT	3043	50	47	3	3000	HC	57		
23	050	10	10	SCT	3044	48	45	3	3000	HC	57		
24	050	8	10	SCT	3045	47	44	3	3000	HC	57		

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L 40°30.2'N	BY	2
λ 08° 09.5'E	BY	2

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 63

FUEL CONSUMED 0000-2400: 366

REMARKS

0000-0400 ANCHORED IN PORTO CONTE BAY, SARDINIA IN 30 FEET OF WATER, SHALE BOTTOM, WITH 30 FATHOMS OF CHAIN TO STARBOARD ANCHOR ON THE FOLLOWING BEARINGS: NUOVA - 089°T CASCIA - 211°T, DEL DENTILE 357.5°T. SOPA: CMDR. C. A. HERBERT, COMINDIV 85 IN THIS SHIP. SHIPS PRESENT INCLUDE USS RIVAL (MSO-468) AND USS NOTABLE (MSO-466). SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

B. D. [illegible]
LTJG, USNR

0400-0800 ANCHORED AS BEFORE. 0745 SET SEA DETAIL, DRAFT AFT 11 FT., FWD. 10'6", MEAN 10'9". CAPTAIN AND NAVIGATOR ON BRIDGE. 0733 U.S.S. RIVAL (MSO-468) UNDERWAY FROM PORT SIDE. 0745 UNDERWAY FROM ANCHORAGE IN ACCORDANCE WITH ORDERS OF COMINDIV 85. 5/C TO 200 T, 5/S TO GITE.

J. A. [illegible]
LTJG, USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ (LTJG) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP AGILITY MSO-519 FRIDAY (Day) 17 (Date) JAN (Month) 19 64

0800 STEAMING AS BEFORE. 0840 C/C 200°T C/S 6 KTS. 0911 ANCHORED SECURED FOR SEA., SECURED SEA DETAIL AND SET REGULAR UNDERWAY WATCH. 0916 C/C 215°T 0934 C/C 035°T 0955 SOUNDED SEA DETAIL 1017 COMMENCED LOW VISIBILITY DRILL, MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE ENTERING PORTO CONTE, SARDINIA 1057 ANCHORED IN PORTO CONTO BAY, SARDINIA IN 30 FOOT OF WATER, SAND BOTTOM, WITH 4½ FATHOMS OF CHAIN TO THE STARBOARD ANCHOR. 1105 SECURED THE SEA DETAIL AND SET THE REGULAR ANCHOR WATCH. 1111 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

[signature] LTJG USNR

1200 ANCHORED AS BEFORE. 1230 SET SEA DETAIL. 1232 COMMENCED HEAVING IN. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1238 UNDERWAY FROM ANCHORAGE. COURSE 180°T SPEED 4.0 KTS. 1250 SECURED SEA DETAIL. SET REGULAR UNDERWAY WATCH. 1430 C/C TO 000°T 1540 C/C TO 180°T.

[signature]
LTJG USNR

1600 STEAMING AS BEFORE. 1642 C/C 000°T 1745 C/C 090°T 1802 C/C 170°T 1941 C/C 000°T

[signature] LTJG USNR

2000-24 STEAMING AS BEFORE. 2005 C/C TO 180°T 2100 C/C TO 000°T. 2158 C/C TO 180°T. 2254 C/C TO 000°T. 2350 C/C TO 180°T.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION -1A DATE SATURDAY (Day) 18 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE~~ FROM PORTE CONTE BAY, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	6	10	CLR	3045	49	44				57		
02	050	8	10	CLR	3045	46	44				58		
03	040	6	10	CLR	3046	46	44				58		
04	055	6	10	CLR	3046	47	44				57		
05	045	6	10	CLR	3046	48	45				57		
06	050	4	10	CLR	3044	49	46				58		
07	020	4	10	CLR	3046	47	44				58		
08	020	4	10	SCT	3046	47	44	5	3000	AC	58		
09	020	4	10	BKN	3047	47	44	6	3000	HC			
10	020	4	10	BKN	3049	50	46	6	3000	HC			
11	350	3	10	SCT	3050	55	50	5	3000	HC			
12	290	3	10	SCT	3047	67	57	5	3000	HC			
13	340	3	10	SCT	3044	65	57	4	3000	AC			
14	050	3	10	SCT	3042	64	55	4	3000	HC			
15	050	4	10	SCT	3042	62	52	3	3000	AC			
16	060	4	10	CLR	3041	59	49						
17	060	5	10	CLR	3040	53	47						
18	060	5	10	CLR	3041	50	45						
19	060	5	10	CLR	3041	49	46						
20	060	5	10	CLR	3043	48	45						
21	060	2	10	CLR	3043	47	43						
22	060	2	10	CLR	3042	47	43						
23	060	2	10	CLR	3042	47	43						
24	060	2	10	CLR	3041	47	43						

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 35

FUEL CONSUMED 0000-2400: 1222

REMARKS

00-04 STEAMING INDEPENDENTLY OFF PORTE CONTE, SARDINIA COURSE 000°T - 180°T, SPEED 4 KNOTS. SOPA IS CA. HERBERT, COR, USN, COMINDIV 85 IN THIS SHIP. SHIPS PRESENT INCLUDE UNITS OF MINDIV 85. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

J. King
LTJG USNR

04-08 STEAMING AS BEFORE. 0415 C/C 000°T 0512 C/C 180°T 0603 C/C 000°T 0705 C/C 180°T 0719 C/C 012°T C/S 6 KTS. 0745 LAUNCHED WHALE BOAT 0755 PROCEEDING ON VARIOUS COURSES AT VARIOUS SPEEDS TO ANCHORAGE.

W. Hewitt LTJG USNR

APPROVED:

J. B. Kemp Jr. LT U.S.N. COMMANDING

EXAMINED:

J. Brennan (TGW) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 SATURDAY (Day) 18 (Date) JAN (Month), 1964

0800-1200 STEAMING AS BEFORE. 0805 ANCHORED IN PORTA CONTE BAY, SARDINIA IN 85 FEET of WATER, STALE BOTTOM, WITH 75 FATHOMS of CHAIN TO STARBOARD ANCHOR ON THE FOLLOWING BEARINGS: CACCIA - 229°T, DEL BOLLO - 252°T NUOVA - 040°T. SECURED ANCHOR DETAIL. SET NORMAL ANCHOR WATCH. 0825 MUSTERED CREW ON STATION: ABSENTEES NONE. 1103 MADE DAILY INSPECTION of MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

B J Smyth
LTJG USNR

1200-1600 ANCHORED AS BEFORE.

J A King
LTJG USNR

1600-2000 ANCHORED AS BEFORE.

J A King LTJG USNR.

2000-2400 ANCHORED AS BEFORE.

B J Smyth
LTJG USNR

APPROVED:

J A Hartinger LT
U.S.N. COMMANDING

EXAMINED:

B J Smyth (LTJG)
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION -1A DATE Sunday (Day) 19 (Date) JANUARY (Month), 19 ~~63~~ 64 BR2

AT/~~PASSAGE FROM~~ PORTE CONTE, SARDINIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	2	10	CLR	3040	45	43						
02	090	4	10	CLR	3040	44	41						
03	340	2	10	CLR	3039	44	41						
04	340	3	10	CLR	3038	44	40						
05	350	3	10	CLR	3038	44	41						
06	350	3	10	CLR	3037	44	40						
07	340	3	10	CLR	3037	43	40						
08	350	3	10	CLR	3038	45	42						
09	040	3	10	CLR	3038	48	44						
10	040	2	10	SCT	3038	50	45	1	2500	CU			
11	050	2	10	SCT	3038	52	47	4	2500	CU			
12	020	4	10	SCT	3038	54	49	5	2500	CU			
13	060	4	10	SCT	3036	58	53	4	2500	CU			
14	040	2	10	SCT	3034	61	53	4	2500	CU			
15			10	SCT	3034	54	54	3	2500	CU			
16	200	3	10	SCT	3033	57	51	3	2500	CU			
17	285	2	10	SCT	3033	54	49	3	2500	CU			
18	240	1	10	SCT	3033	54	49	4	2500	CU			
19	300	2	10	SCT	3034	50	47	4	2500	CU			
20	340	2	10	SCT	3035	50	47	4	2500	CU			
21	340	2	10	SCT	3036	51	48	5	2500	CU			
22	340	2	10	SCT	3036	50	48	4	2500	CU			
23	090	3	10	SCT	3034	50	48	5	2500	CU			
24	140	2	10	SCT	3036	50	48	5	2500	CU	52		

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
FHR 0910

FUEL CONSUMED 0000-2400
246

REMARKS

00-04 ANCHORED IN PORTE CONTE, SARDINIA IN 85 FEET OF WATER. WITH 75 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, HARD BOTTOM, SOPA IS G.A. HERBERT, COR, USN, COMNAVAV 85 IN THIS 5 HAP. SHIPS PRESENT INCLUDE UNITS OF HAVDIV 85. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J. H. Kelly
LT, USNR

04-08 ANCHOR AS BEFORE. 0745 MUSTERED THE CREW ON STATION, ABSENT, NONE.

W. H. Hunt LT JG USNR.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 Sunday (Day) 19 (Date) JAN. (Month), 19 64

0800-12 ANCHORED AS BEFORE. 1122 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

LTJG USNR

1200-16 ANCHORED AS BEFORE.

LTJG USNR

1600-20 ANCHORED AS BEFORE.

LTJG USNR

2000-24 ANCHORED AS BEFORE. 2215 SET SEA DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. MAKING PREPARATIONS FOR GETTING UNDERWAY. 2242 COMMENCED HEAVING IN. 2253 UNDERWAY FROM PORTO CONTE, SARDINIA ENROUTE TO NAPLES, ITALY. COURSE 195°T SPEED 8.0 KTS. 2310 SECURED SEA DETAIL. SET NORMAL UNDERWAY WATCH. 2318 COLUMN FORMATION THIS SHIP GUIDE IN STATION #1, BASE COURSE 195°T SPEED 9.3 KTS. 2330 C/C TO 286°T.

LTJG USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION - 1A DATE MONDAY (Day) 20 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ PORTE CONTE, SARDINIA TO NAPLES, ITALY

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	140	2	10	SCT	3036	50	48	1	1600	CU	52		
02	140	2	10	SCT	3035	51	49	1	1600	CU	52		
03	140	2	10	SCT	3035	51	48	1	1600		52		
04	060	10	10	CLR	3034	52	49				52		
05	060	10	10	CLR	3035	53	49				52		
06	070	10	10	CLR	3035	53	49				52		
07	070	10	10	SCT	3036	52	49	4	3000	CU	55		
08	070	10	10	BKN	3037	52	49	7	3000	CU	55		
09	070	10	10	BKN	3039	52	48	8	3000	CU	58		
10	070	9	10	BKN	3040	54	48	8	3000	CU	58		
11	070	9	10	BKN	3041	54	48	8	3000	CU	58		
12	070	8	10	BKN	3041	54	48	7	3000	CU	58		
13	070	8	10	BKN	3041	54	48	6	3000	CU	58		
14	110	8	10	SCT	3040	55	49	4	3000	CU	58		
15	100	8	10	CLR	3040	55	50				58		
16	070	7	10	CLR	3039	55	52				58		
17	085	8	10	CLR	3039	52	50				58		
18	080	7	10	CLR	3039	51	47				58		
19	080	6	10	CLR	3040	51	45				58		
20	090	8	10	CLR	3040	51	45				58		
21	090	5	10	CLR	3041	51	45				58		
22	090	7	10	CLR	3042	47	42				58		
23	090	7	10	CLR	3042	46	41				58		
24	090	4	10	CLR	3042	46	41				58		

POSITION	ZONE	TIME
0800		
L 41° 16.3' N	BY	2
λ 08° 50' E	BY	2
1200		
L 41° 17' N	BY	3
λ 09° 43.8' E	BY	3
2000		
L 40° 58.1' N	BY	1
λ 11° 43' E	BY	1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 237

FUEL CONSUMED 0000-2400: 886

REMARKS

0000-0400 STEAMING IN COMPANY WITH UNITS OF MINDIV 85 ENROUTE NAPLES, ITALY, IN COLUMN FORMATION WITH THIS SHIP AS GUIDE IN STA #1, U.S.S. RIVAL (MSO-468) IN STA #2, U.S.S. SALUTE (MSO-479) IN STA #3, U.S.S. NOTABLE (MSO-460) IN STA #4 ON COURSE 286° T, SPEED 9.3 KTS. SOPA IS C.A. HERBERT, COR, USN, COMMINDIV 85 IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J.M. King
LTJG USNR

0400-0800 STEAMING AS BEFORE 0518 L 0734 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE.

J.M. King LTJG USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ (LTJG) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 MONDAY (Day) 30 (Date) JAN. (Month) 64

0800 - 1200 STEAMING AS BEFORE. 0900 SET PILOTING AND ANCHOR DETAIL for TRANSITING STRAITS of BONNIFACIO. 0909 MADE DAILY INSPECTION of MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0956 C/C TO 053°T. 1030 C/C TO 101°T. 1031 C/S TO 11.5 KTS. 1037 SECURED PILOTING DETAIL AND ANCHOR DETAIL.

B J Daugherty Jr
LTJG USNR

1200-1600 STEAMING AS BEFORE.

J A King
LTJG USNR

1600-2000 STEAMING AS BEFORE.

W J Hall LTJG USNR

2000-2400 STEAMING AS BEFORE. C/S TO 9.2 KTS.

B J Daugherty Jr
LTJG USNR

APPROVED: J A King Jr LT U.S.N. COMMANDING

EXAMINED: [signature] (CHC) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABSECON (AVP-19) ZONE DESCRIPTION - 1A DATE TUESDAY (Day) 21 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM PORTE COURTEL SARDINIA TO NAPLES, ITALY

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	6	10	CLR	3042	52	50				60		
02	100	6	10	CLR	3042	52	50				60		
03	100	6	10	CLR	3042	52	50				60		
04	100	10	10	CLR	3042	52	50				58		
05	100	10	10	CLR	3040	52	50				59		
06	070	10	10	CLR	3040	51	49				60		
07	070	10	4	H	3041	50	49	6	50	ST	60		
08	030	7	2	H	3041	50	49	7	50	ST	60		
09	000	3	2	H	3043	52	51	7	50	ST	60		
10	000	2	5	H	3045	54	53	7	100	ST	60		
11	000	2	6	H	3046	55	54	8	100	ST	60		
12	000	2	6	H	3046	58	57	6	100	ST	60		
13			9	SCT	3048	60	59	4	1000	ST/AC			
14			10	SCT	3046	59	58	3	2500	AC			
15	000	3	10	CLR	3046	57	55						
16	000	3	10	CLR	3045	56	54						
17	340	3	10	CLR	3045	54	52						
18	000	4	10	CLR	3046	51	50						
19	010	2	10	CLR	3048	50	48						
20	000	2	10	CLR	3048	49	47						
21	000	4	10	CLR	3048	45	45						
22	000	4	10	CLR	3049	45	45						
23	000	4	10	CLR	3049	47	45						
24	010	2	10	CLR	3049	45	43						

POSITION	ZONE	TIME
0800		
L 40° 40.2' N	BY	2
λ 13° 59.3' E	BY	2
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 89

FUEL CONSUMED 0000-2400: 1668

REMARKS

00-04 STEAMING IN COMPANY WITH UNITS OF MINDIV 55 ENROUTE NAPLES, ITALY, IN COLUMN FORMATION WITH THIS SHIP AS GUIDE IN STA# 1, U.S.S. RICAU (MSO-468) IN STA# 2, U.S.S. SAULTE (MSO-470) AND U.S.S. NOTABLE (MSO-466) IN STA# 4, BASE COURSE 101°T, BASE SPEED 9.2 KTS. SOPA IS C.A. HERBERT, COR, U.S.N., COMINDIV 55 IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II, MATERIAL CONDITION YOKE SET.

J.A. Kling
LT, USNR

04-08 STEAMING AS BEFORE. 0709 S/L 065°T 0729 S/L 10 KTS
0745 MUSTERED TAR CREW AT QUARTERS, ABSENTEES NONE.

L.W. Hamill LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 TUESDAY (Day) 21 (Date) JAN (Month) 19 64

0800 - 12 STEAMING AS BEFORE. 0900 SET SPECIAL SEA DETAIL. MADE ~~DAILY~~ DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER B/2 SAMPLES. CONDITIONS NORMAL. 0945 MANEUVERING TO GO ALONGSIDE USS TIDEWATER FOR REFUELING. 1000 MOORED PORT SIDE TO USS TIDEWATER. 1028 COMMENCED TAKING ON FUEL. 1121 COMPLETED REFUELING. 1138 UNDERWAY FROM USS TIDEWATER PROCEEDING TO MED MOOR AT NAPLES, ITALY.

LTJG USN

12-16 STEAMING AS BEFORE. 1243 MED MOORED AT NAPLES, ITALY. 1224 SECURED SPECIAL SEA DETAIL. SET NORMAL INPORT WATCH.

LTJG USN

16-20 MOORED AS BEFORE.

LTJG USN

20-24 MOORED AS BEFORE.

LTJG USN

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-379 ZONE DESCRIPTION -1A DATE WEDNESDAY (Day) 22 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ NAPLES, ITALY TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	CLR	3050	45	43						
02			10	CLR	3050	45	43						
03	015	4	10	CLR	3050	44	42						
04			10	CLR	3050	44	41						
05			10	CLR	3050	43	40						
06	015	3	10	CLR	3050	43	40						
07	015	1	10	CLR	3050	43	41						
08	015	5	10	CLR	3050	44	41						
09	015	5	10	CLR	3051	45	42						
10	015	3	10	SCT	3052	51	48	3	3000	C1			
11	015	2	10	SCT	3053	57	51	4	3000	C1			
12			10	CLR	3053	59	54						
13			10	CLR	3051	67	57						
14			10	CLR	3050	60	55						
15			10	CLR	3050	58	53						
16	150	3	10	CLR	3050	57	52						
17	150	3	10	CLR	3050	53	52						
18	150	3	10	CLR	3049	53	51						
19	150	3	10	CLR	3047	51	49						
20	030	3	10	CLR	3047	50	48						
21	000	3	10	CLR	3045	44	46						
22	000	3	10	CLR	3045	46	44						
23	030	3	10	CLR	3046	46	44						
24	030	3	10	CLR	3046	46	44						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 437

REMARKS

Ø4-Ø4 MED MOORED IN NAPLES, ITALY WITH STANDARD MOORING LINES DOUBLED. SOPA: RADM. F. J. BRUSH, COMFAIRMED. SHIPS PRESENT INCLUDE OTHER UNITS OF MINDIV 85 PLUS OTHER UNITS OF SIXTH FLEET AND MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

B B Daugherty Jr
LTJG USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

B B Daugherty Jr
LTJG USNR

APPROVED: J Hutchings U.S.N. COMMANDING

EXAMINED: J Sherman (LTJG) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP AGILITY (AGO-5-9) WEDNESDAY (Day) 22 (Date) JAN (Month) 19 64

0800-1200 MOORED AS BEFORE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J. A. Klein
LTJG USNR

1200-1600 MOORED AS BEFORE.

J. A. Klein
LTJG USNR

1600-2000 MOORED AS BEFORE.

J. A. Klein
LTJG USNR

2000-2400 MOORED AS BEFORE.

J. A. Klein
LTJG USNR

APPROVED: _____ CAPT U.S.N. COMMANDING

EXAMINED: _____ LT(JG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILENE (DD-858) ZONE DESCRIPTION -1A DATE THURSDAY 23 JANUARY, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ NAPLES, ITALY ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	3	10	CLR	3046	45	43						
02	030	3	10	CLR	3045	44	43						
03	030	3	10	CLR	3044	43	42						
04	030	3	10	CLR	3042	42	41						
05			10	CLR	3042	41	40						
06			10	CLR	3041	40	39						
07	030	3	10	CLR	3041	40	39						
08	070	2	10	CLR	3041	44	41						
09	070	2	10	CLR	3041	47	45						
10	070	4	10	CLR	3042	54	51						
11	040	3	10	CLR	3042	60	57						
12	040	1	10	CLR	3041	62	60						
13	030	6	10	CLR	3039	66	64						
14	040	7	10	CLR	3038	56	53						
15	040	5	10	CLR	3039	60	60						
16	040	4	10	CLR	3038	60	58						
17	040	4	10	CLR	3038	60	58						
18	040	4	10	CLR	3038	56	53						
19	040	2	10	CLR	3038	51	49						
20	040	3	10	CLR	3039	49	48						
21	040	3	10	CLR	3040	49	47						
22	040	3	10	CLR	3040	49	47						
23	055	4	10	CLR	3040	49	47						
24	055	5	10	CLR	3039	49	47						

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 173

REMARKS

00-04 MOORED STERN TO MOLE, ITALIAN NAVAL BASE, NAPLES, ITALY WITH 30 FATHOMS CHAIN TO STARBOARD ANCHOR AND MOORING LINES DOUBLED ON THE QUARTERS, SOPA IS REAR FLAGBRUSH COMMANDER. SHIPS PRESENT INCLUDE MINELESS AND UNITS OF U.S. SIXTH FLEET PLUS MISCELLANEOUS MERCHANTES. RECEIVING WATER FROM MOLE. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

J.H. King
LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS ABSENTEES: NONE.

J.H. King
LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THUR (Day) 23 (Date) JAN (Month) . 19 64

08-12 MOORED AS BEFORE. 0954 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

W.W. Smith LTJG USNR.

12-16 MOORED AS BEFORE.

W.W. Smith LTJG USNR

16-20 MOORED AS BEFORE.

W.W. Smith LTJG USNR.

20-24 MOORED AS BEFORE.

W.W. Smith LTJG USNR.

APPROVED: T. Hastings Jr LT U.S.N. COMMANDING

EXAMINED: [illegible] (LTJG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION 10 DATE FRIDAY (Day) 24 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE~~ FROM NAPLES ITALY TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	5	10	CLR	3039	48	47						
02	050	4	10	CLR	3039	48	46						
03	045	2	10	CLR	3039	46	45						
04	000	6	10	CLR	3038	46	45						
05	010	3	10	CLR	3039	46	45						
06	000	8	10	CLR	3039	45	44						
07	000	9	10	CLR	3039	45	43						
08	000	4	10	CLR	3040	47	45						
09	000	4	10	CLR	3040	49	46						
10	000	4	10	CLR	3042	51	47						
11	000	4	10	CLR	3042	53	47						
12	270	3	10	CLR	3041	57	49						
13	270	3	10	CLR	3040	59	54						
14	270	3	10	CLR	3040	64	59						
15	270	2	10	CLR	3039	64	58						
16	270	2	10	CLR	3038	65	61						
17	270	2	10	CLR	3037	57	50						
18	270	2	10	CLR	3038	54	50						
19	270	2	10	CLR	3039	52	46						
20			10	CLR	3039	52	46						
21			10	CLR	3039	52	46						
22			10	CLR	3039	52	46						
23			10	CLR	3039	52	46						
24			10	CLR	3039	52	46						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 540

REMARKS

0/4-0/4 MED MOORED TO MOLE IN NAPLES ITALY, WITH STANDARD MOORING LINES DOUBLED AND ~~WIRE~~ WIRE PREVENTER OUT AFT TO THE PIER. SOPA IS COMCARDIV MEDU. SHIPS PRESENT INCLUDE OTHER UNITS OR MINDIV 85 PLUS OTHER UNITS OF SIXTH FLEET AND MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET. of

LTJG USNR

0/4-0/8 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE.

LTJG USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: (for) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 24 (Date) JANUARY (Month) 19 64

0800-1200 MOORED AS BEFORE. 0954 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1010 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; CONDITIONS SATISFACTORY.

J. A. Klein
LTJG USNR

1200-1600 MOORED AS BEFORE.

J. A. Klein
LTJG USNR

1600-2000 MOORED AS BEFORE.

J. A. Klein
LTJG USNR

2000-2400 MOORED AS BEFORE.

J. A. Klein
LTJG USNR

APPROVED: J. Klein LT U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (AKSO-519) ZONE DESCRIPTION -1A DATE SATURDAY (Day) 25 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ NAPLES, ITALY TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01			10	CLR	3039	52	46						
02			10	SCT	3039	52	45	3	3000	AC			
03			10	SCT	3039	51	45	4	3000	AC			
04			10	SCT	3040	42	40	4	3000	AC			
05			10	SCT	3040	41	40	4	3000	AC			
06			10	SCT	3040	40	39	4	3000	AC			
07			10	SCT	3040	42	40	4	3000	AC			
08			10	BKN	3043	41	39	7	3000	AC			
09			10	BKN	3043	43	41	7	3000	AC			
10			10	BKN	3044	46	44	8	3000	AC			
11			10	BKN	3044	50	46	8	3000	AC			
12			10	OVC	3042	52	49	9	3000	AC			
13			9	OVC	3040	54	50	9	3000	AC			
14			9	OVC	3040	56	52	9	3000	AC			
15	180	2	9	OVC	3040	56	51	9	3000	AC			
16			9	OVC	3041	55	50	9	3000	AC			
17			9	BKN	3041	55	50	8	3000	AC			
18	165	3	9	BKN	3039	54	50	8	3000	AC			
19	180	4	9	BKN	3039	53	49	8	3000	AC			
20	290	4	9	BKN	3040	53	49	8	3000	AC			
21	345	4	9	OVC	3040	53	49	9	3000	AC			
22	355	4	9	OVC	3040	52	49	9	3000	AC			
23	355	4	9	OVC	3040	50	49	9	3000	AC			
24	000	2	9	OVC	3040	47	45	9	3000	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
260

REMARKS

00-04 MOORED STERN TO MOLE AT ITALIAN NAVAL BASE, WITH 3 SHACKLES OF CHAIN TO THE STARBOARD ANCHOR AT ~~ITALIAN~~ DOCK NAPLES, ITALY. SORA IS COMMANDED. SHIPS PRESENT INCLUDE MINDIV 85 AND UNITS OF U.S. SIXTH FLEET PLUS MISCELLANEOUS MERCHANTS. RECEIVING WATER FROM MOLE. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J.H. King
Lt, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

J.H. King
Lt, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 SATURDAY (Day) 25 (Date) JAN (Month), 19 64

0800 MOORED AS BEFORE. 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0915 COMMENCED CAPTAIN'S PERSONNEL INSPECTION. 0945 COMPLETED INSPECTION.

B J Daugherty Jr
LTJG USNR

1200-1600 MOORED AS BEFORE.

B J Daugherty Jr
LTJG USNR

1600-2400 MOORED AS BEFORE.

B J Daugherty Jr
LTJG USNR

0000-2400 MOORED AS BEFORE.

B J Daugherty Jr
LTJG USNR

APPROVED: J K Weller Jr LT
U.S.N. COMMANDING

EXAMINED: [illegible] (LTJG)
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABLE (MSO-519) ZONE DESCRIPTION -1A DATE SUNDAY (Day) 26 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ NAPLES, ITALY TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	3	9	OVC	3040	47	45	9	3000	AC			
02	000	3	9	OVC	3040	47	45	9	3000	AC			
03	000	3	9	OVC	3039	47	45	9	1800	ST/AC			
04	045	2	9	OVC	3038	47	45	9	1800	ST/AC			
05	045	2	6	H	3038	46	44	8	1000	ST/AC			
06	000	2	5	H	3038	45	41	8	1000	ST/AC			
07	000	2	4	H	3038	45	41	8	500	ST/AC			
08	000	2	4	H	3038	47	43	8	500	ST/AC			
09	000	2	4	H	3038	50	45	8	500	ST/AC			
10	000	2	4	H	3039	54	50	6	500	ST/AC			
11	000	2	5	H	3039	63	54	6	1200	ST/AC			
12	340	2	10	CLR	3037	68	59						
13	340	3	10	CLR	3035	73	64						
14	300	3	10	CLR	3034	75	65						
15	300	3	10	CLR	3033	75	65						
16	300	3	10	CLR	3032	70	62						
17	300	4	10	CLR	3030	65	62						
18	300	4	10	CLR	3030	55	51						
19	300	4	10	CLR	3030	55	49						
20	300	4	10	CLR	3030	~~55~~ 55	49						
21	300	4	10	CLR	3032	56	49						
22	300	4	10	CLR	3031	49	48						
23	300	4	10	CLR	3031	48	45						
24	300	4	10	CLR	3031	47	44						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 357

REMARKS

0600-0800 MED MOORED IN NAPLES, ITALY WITH STANDARD MOORING LINES DOUBLED. SOPA: F. J. BRUSH, COMFAIRMED. SHIPS PRESENT INCLUDE UNITS OF MINDIV 55, OTHER UNITS OF SIXTH FLEET AND MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS ~~IV~~ II WITH MATERIAL CONDITION YOKE SET.

B. D. [illegible]
LTJG USNR

0800-0800 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION ABSENTEES: NONE.

B. D. [illegible]
LTJG USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 1/26 (Date) JANUARY (Month) 1964

0800-1200 MOORED AS BEFORE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J. A. Kinig
LT(jg) USNR

1200-1600 MOORED AS BEFORE.

J. A. Kinig
LT(jg) USNR

1600-2000 MOORED AS BEFORE.

J. A. Kinig
LT(jg) USNR

2000-2400 MOORED AS BEFORE.

J. A. Kinig
LT(jg) USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION -1A DATE MONDAY (Day) 27 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE FROM~~ NAPLES, ITALY TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	4	10	CLR	3030	50	48						
02	300	4	10	CLR	3029	52	49						
03	300	4	10	CLR	3029	55	51						
04			10	CLR	3027	53	51						
05			10	CLR	3026	53	51						
06			10	CLR	3026	53	51						
07			10	SCT	3026	53	51	3	6500	SC			
08			10	SCT	3027	54	51	3	6500	SC			
09			10	SCT	3027	54	51	3	6500	SC			
10	050	3	10	CLR	3027	54	52						
11	060	3	3	H	3025	54	52	7	800	ST/HC	54		
12	210	2	3	H	3024	61	56	9	800	ST/HC	54		
13	210	2	3	H	3022	62	57	9	800	ST	54		
14	210	2	3	H	3020	59	56	10	800	ST	59		
15	210	2	8	OVC	3020	57	54	10	1500	ST/HC	59		
16	250	3	10	BKN	3020	60	56	8	3000	HC	59		
17	150	3	10	BKN	3020	55	51	8	3000	HC	59		
18	150	3	10	BKN	3020	54	50	6	3000	HC	59		
19	220	3	10	SCT	3020	54	50	3	3000	HC	59		
20	290	3	10	CLR	3020	54	50				59		
21	300	3	10	CLR	3020	54	50				59		
22	300	3	10	CLR	3020	54	50				59		
23	300	3	10	CLR	3021	54	50				59		
24	300	3	10	SCT	3021	54	50	4			59		

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 40°42.3'N		BY 2
λ 14°05.7'E		BY 2
2000		
L 40°18.8'N		BY 2
λ 13°02'E		BY 2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 102

FUEL CONSUMED 0000-2400: 455

REMARKS

00-04 MOORED STERN TO MOLE, ITALIAN NAVAL BASE, NAPLES, ITALY, WITH 30 FATHOMS CHAIN TO STARBOARD ANCHOR AND MOORING LINES DOUBLED ON THE QUARTERS. SOPA IS COMAIRMED. SHIPS PRESENT INCLUDE MINDIV 85 AND UNITS OF U.S. SIXTH FLEET PLUS MISCELLANEOUS MERCHANTS. RECEIVING WATER FROM MOLE. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

J. A. Kling
Ltjg USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS; ABSENTEES: NONE.

J. A. Kling
Ltjg USNR

APPROVED: T. Kellenger U.S.N. COMMANDING

EXAMINED: [illegible] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 27 (Date) JAN (Month) 19 64

08-12 MOORED AS BEFORE. 0845 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0915 SET THE SPECIAL SEA AND ANCHOR DETAIL 0924 RECEIVED DRAFT REPORTS AFT 11'2" FWD 10'8". 0951 ALL STATIONS MANNED AND READY, CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. 1022 UNDERWAY, MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF NAPLES HARBOR. 1046 SECURED THE SEA DETAIL AND SET THE REGULAR UNDERWAY WATCH. 1116 C/C 249°T C/S 8KTS.

LTJG USNR

12-16 STEAMING AS BEFORE

LTJG USNR.

16-20 STEAMING AS BEFORE. 1634 C/S TO 7.0 KTS. 1745 C/C TO 214°T 1755 C/C TO 243°T. 1923 C/C TO 134°T. 1930 C/S TO 9 KTS.

20-24 STEAMING AS BEFORE.

LTJG USNR

APPROVED: EXAMINED:

LT U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519 ZONE DESCRIPTION -11 DATE TUESDAY (Day) 28 (Date) JANUARY (Month), 19 64

~~AT~~/PASSAGE FROM NAPLES ITALY TO ALCUDIA BAY

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	085	5	9	SCT	30.20	55	50	4	30.00	AC	59		
02	070	5	9	CLR	30.19	55	52				57		
03	080	9	9	SCT	30.18	56	51	3	6500	SC	59		
04	080	5	9	SCT	30.17	55	50	3	6500	SC	59		
05	080	5	9	CLR	30.15	55	51	3	6500	SC	59		
06	080	6	9	CLR	30.14	55	51				59		
07	080	6	9	BKN	30.13	55	51	7	3000	AC/CI	59		
08	080	6	9	BKN	30.13	55	50	8	3000	AC/CI	59		
09	080	6	9	BKN	30.13	57	55	8	3000	AC/CI	59		
10	050	6	9	BKN	30.13	57	55	8	3000	AC/CI	59		
11	050	6	9	BKN	30.13	57	55	8	3000	AC/CI	59		
12	080	6	9	OVC	30.06	59	54	10	3000	AC/CI	59		
13	125	6	9	OVC	30.02	58	55	10	2500	AC/CI	59		
14	100	5	9	OVC	29.99	57	54	10	2500	NS/CI	59		
15	105	5	9	OVC	29.96	57	54	10	2500	NS/CI	59		
16	120	7	9	OVC	29.94	57	54	10	2500	NS/CI	59		
17	120	7	9	OVC	29.92	57	54	10	2000	NS/CI	59		
18	120	9	9	OVC	29.91	57	50	10	1500	NS	59		
19	120	9	6	R	29.91	52	50	10	1000	NS	59		
20	120	9	6	R	29.90	52	50	10	1000	NS	59		
21	150	9	8	OVC	29.89	55	53	10	1000	NS/CU	59		
22	140	9	6	R	29.85	55	53	10	1000	NS	59		
23	140	9	6	R	29.83	54	53	10	1000	NS	59		
24	140	9	7	D	29.80	55	53	10	1000	NS/AS	59		

POSITION	ZONE	TIME
0800 L 39°18.5'N	BY	1
λ 13°38.5'E	BY	1
1200 L 39°13.5'N	BY	2
λ 12°55.3'E	BY	2
2000 L 39°01.9'N	BY	4
λ 11°29'E	BY	4

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 206

FUEL CONSUMED 0000-2400: 139~~5~~

REMARKS

0000-0400 STEAMING INDEPENDENTLY IN COMPANY WITH MINIVERS. COURSE 139°T, SPEED 9 KTS. SOPA IS COMINDIV 85 EMBARKED IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. 0018 S/C 145°T 0028 S/C 134°T

LTJG W.C. Fruehauf USNR

0400-0800 STEAMING AS BEFORE. 0450 S/S TO 8.0 KTS. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

J.A. King
CTG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 TUESDAY (Day) 28 (Date) JAN (Month) 64 19

08-12 STEAMING AS BEFORE. 1001 EXERCISED AT GENERAL QUARTERS. 1041 SECURED FROM GENERAL QUARTERS. 1045 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J.H. King
LT, USNR

12-16 STEAMING AS BEFORE. 1400 HELD MAN OVERBOARD DRILL.

LTJG USNR.

16-20 STEAMING AS BEFORE.

LTJG USNR

20-24 STEAMING AS BEFORE. 2205 C/E 72 265°T, C/S 72 10KTS.

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (CMSO 519) ZONE DESCRIPTION -1A DATE WEDNSDAY (Day) 29 (Date) JANUARY (Month) 19 64

AT/PASSAGE FROM NAPLES ITALY TO ALCUDIA BAY

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	14	4	R	2977	53	52	10	1200	NS	54		
02	350	16	4	R	2977	53	52	10	1200	NS	54		
03	020	15	4	R	2976	52	51	10	1200	NS	54		
04	020	15	4	R	2972	52	51	10	1200	NS	58		
05	020	15	4	R	2972	52	51	10	1200	NS	58		
06	020	15	4	R	2971	52	51	10	1200	NS	58		
07	020	15	6	R	2971	52	51	10	1200	NS	54		
08	040	15	8	OVC	2972	53	52	10	1500	NS	54		
09	050	15	9	OVC	2973	54	52	10	1600	NS/CU	59		
10	010	12	9	OVC	2975	55	52	10	1600	CU	59		
11	010	12	10	BKN	2975	55	52	8	2000	CU	59		
12	335	10	10	BKN	2974	58	54	8	2000	CU	59		
13	330	15	10	BKN	2974	60	53	7	2000	CU	59		
14	330	25	10	BKN	2973	57	52	7	2000	CU	59		
15	330	25	10	BKN	2973	58	53	7	2000	CU	59		
16	310	25	10	BKN	2973	54	50	8	2000	CU	59		
17	320	25	10	BKN	2973	53	50	7	2000	CU	59		
18	320	25	10	BKN	2978	52	50	6	2000	CU	59		
19	320	25	10	BKN	2981	54	50	6	2000	CU	59		
20	310	25	10	SCT	2980	54	48	4	2000	CU	59		
21	310	25	10	SCT	2980	54	48	3	2000	CU/HC	59		
22	310	25	10	SCT	2980	54	49	2	3500	HC	59		
23	310	25	10	SCT	2980	54	49	2	3500	HC	59		
24	310	25	10	SCT	2982	53	49	2	3500	HC	59		

POSITION	ZONE	TIME
0800		
L 38° 45.5' N	BY	2
λ 09° 22' E	BY	2
1200		
L 38° 42.8' N	BY	3
λ 08° 39' E	BY	3
2000		
L 38° 52.5' N	BY	2
λ 07° 24.3' E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

187

FUEL CONSUMED 0000-2400

1480

REMARKS

0400-0744 STEAMING IN COLUMN FORMATION WITH MANDIU PS, THIS SHIP IS GUIDE IN STATION ONE, USS NOTABLE (CMSO 460) IN STATION #2. USS RIVAL (CMSO 468) IN STATION #3 AND USS SALUTE (CMSO 470) IN STATION #4. BASE COURSE 260T SPEED 9.5 KTS. STANDARD DISTANCE 500 YDS. SOPA AND OTC IS COMMDR 8S EMBARKED IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

0744-0758 STEAMING AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE.

LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLE MSO-519 WEDNESDAY (Day) 29 (Date) JAN (Month) 19 64

ØØ-12 STEAMING AS BEFORE. 1Ø3Ø MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1Ø47 EXERCISED CREW AT MAN OVERBOARD DRILL.

J. H. King
LTJG USNR

12-16 STEAMING AS BEFORE. 1223 S/C 285°T S/S 6 KTS.

W. O'Neill LTJG USNR

16-2Ø STEAMING AS BEFORE. 1628 C/C TO 284°T 1640 C/C TO 285°T 1650 C/C TO 284°T. 1658 C/C TO 287°T C/S TO 7.Ø KTS.

B. F. Duff Jr.
LTJG USNR

2Ø-24 STEAMING AS BEFORE.

J. H. King
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION -1A DATE THURSDAY (Day) / 30 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM NAPLES ITALY TO ALCUDIA BAY

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	320	20	8	OVC	2987	53	52	10	2000	AC/ST	59		
02	310	20	8	OVC	2982	52	50	10	2000	AC/ST	59		
03	310	15	8	OVC	2983	53	51	10	2000	AC	59		
04	310	10	8	OVC	2988	52	50	10	2500	AC	59		
05	310	12	8	OVC	2987	52	50	10	2500	AC	59		
06	310	18	8	OVC	2985	52	50	10	2500	AC	59		
07	310	18	8	OVC	2987	52	50	10	2500	AC	59		
08	350	18	8	OVC	2989	53	51	10	2500	AC	59		
09	350	18	8	BKN	2992	54	52	8	2500	AC	59		
10	350	20	8	BKN	2995	54	52	8	2500	AC	59		
11	350	20	8	OVC	2996	54	52	10	2500	AC	59		
12	350	20	8	OVC	2999	53	51	10	2500	AC	59		
13	350	20	8	OVC	2999	55	51	10	2500	AC	59		
14	330	20	9	OVC	30.00	55	52	10	2500	AC	59		
15	330	16	9	BKN	2999	57	54	8	2500	AC	59		
16	320	16	10	BKN	3001	57	54	8	2500	AC	59		
17	320	15	10	BKN	3003	56	54	8	2500	AC	59		
18	320	15	10	BKN	3003	55	53	9	2500	AC	59		
19	320	15	10	BKN	3004	55	52	9	2500	AC	59		
20	310	8	10	BKN	3004	55	51	7	2500	AC	59		
21	310	8	10	BKN	3005	55	50	6	2500	AC	59		
22	310	8	10	SCT	3006	55	50	5	2000	CU/AC	59		
23	310	8	10	SCT	3007	55	50	5	2000	CU/AC	59		
24	310	8	10	SCT	3005	55	50	5	2000	CU/AC	59		

POSITION	ZONE	TIME
0800		
L 39° 17' N	BY	4
λ 05° 44' E	BY	4
1200		
L 39° 24.9' N	BY	4
λ 05° 10.5' E	BY	4
2000		
L 39° 36' N	BY	2
λ 04° 09' E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 145

FUEL CONSUMED 0000-2400: 1486

REMARKS

0400-0800 STEAMING IN COLUMN FORMATION WITH MINDIV 85. THIS SHIP IS GUIDE IN STATION ONE, USS NOTABLE (MSO 462) IN STATION TWO ~~AND~~, USS RIVAL (MSO 468) IN STATION THREE AND USS SALUTE (MSO 420) IN STATION FOUR. BASE COURSE 287°T SPEED 7 KTS. STANDARD DISTANCE 500 YDS. SOPA AND OTC IS COMMINDIV 85 EMBARKED IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. W

LTJG USNR

0400-0800 STEAMING AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES. NONE.

LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 THURSDAY (Day) 30 (Date) JAN (Month) 19 64

00-12 STEAMING AS BEFORE. 0430 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J.R. King
Lt(jg) USNR

12-16 STEAMING AS BEFORE. 1552 C/C 300°T 5/5 5 KTS

[signature] LT(JG) USNR

16-20 STEAMING AS BEFORE. 1711 C/C TO 310°T. 1822 C/C TO 345°T. 1826 C/S TO 6.0 KTS. 1957 C/S TO 5.0 KTS.

[signature]
LTJG USNR

20-24 STEAMING AS BEFORE.

J.R. King
Lt(jg) USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ORISKANY (CVA 34) ZONE DESCRIPTION -11 DATE FRIDAY (Day) 31 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM NAPLES ITALY TO ALCUDIA BAY

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	18	10	SCT	3000	55	50	5	2500	AC	59		
02	300	10	10	OBKN	3000	56	53	7	2500	AC	59		
03	300	10	10	BKN	3000	54	49	7	2500	AC	59		
04	300	10	10	BKN	2999	56	51	7	2500	AC	59		
05	290	11	10	BKN	3001	56	51	7	2500	AC	59		
06	260	15	10	BKN	3001	55	50	7	2500	AC			
07	340	13	10	BKN	3005	55	51	7	2500	AC			
08	340	12	10	BKN	3005	55	50	8	2500	AC			
09	010	12	10	BKN	3008	55	50	8	2500	AC			
10	010	10	10	BKN	3011	55	50	8	2500	AC			
11	040	10	10	BKN	3012	55	50	8	2500	AC			
12	040	4	10	OVC	3013	56	51	10	2500	AC			
13	050	4	10	OVC	3013	58	53	10	2500	AC			
14	050	4	10	OVC	3013	59	53	10	2500	AC			
15	070	4	10	BKN	3012	61	56	8	2500	AC			
16	050	2	10	BKN	3012	59	55	7	2500	AC			
17	070	8	10	BKN	3013	56	53	8	2500	AC			
18	070	4	10	BKN	3012	55	50	7	2500	AC	57		
19	160	4	10	BKN	3014	55	50	7	2500	AC	57		
20	160	4	10	BKN	3017	56	52	9	2500	AC	59		
21	230	4	10	BKN	3017	56	52	9	2500	AC	59		
22	250	4	10	BKN	3017	56	52	8	2500	AC	58		
23	250	4	10	BKN	3019	58	54	8	2500	AC	58		
24	250	5	10	BKN	3018	58	54	8	2500	AC	59		

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L 39° 41.5' N	BY	2
λ 03° 35.5' E	BY	2

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 91

FUEL CONSUMED 0000-2400: 1868

REMARKS

Ø6-Ø4 STEAMING IN COLUMN FORMATION IN COMPANY WITH MINDIU 85. THIS SHIP IS GUIDE IN STATION ONE. USS NOTABLE (MSO 466) IN STATION TWO, USS RIVAL (MSO 468) IN STATION THREE AND USS SALUTE (MSO 470) IN STATION FOUR FORMATION COURSE 305°T. 5 KTS. STANDARD DISTANCE 500 YDS. SOPA AND OTC IS COMINDIU AS REMARKED IN THIS SHIP. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. Ø145 C/C 265°T Ø345 C/C 225°T

W. J. Zeitl LTJG USNR

Ø4-Ø8 STEAMING AS BEFORE. Ø545 C/C TO 265°T. Ø51Ø SET SPECIAL SEA AND ANCHOR DETAIL - PROCEEDING TO ANCHOR. Ø549 ANCHORED IN ALCUDIA BAY, MALLORCA IN 42 FEET OF WATER WITH 60 FATHOMS OF CHAIN TO STARBOARD ANCHOR. Ø6Ø3 SECURED SPECIAL SEA AND ANCHOR DETAIL. SET REGULAR ANCHOR WATCH. Ø736 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE. Ø747 COMMENCED HEAVING IN. Ø756 UNDERWAY

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ (LTJG) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 FRIDAY (Day) 31 (Date) JAN (Month) 19 64

from ANCHORAGE. MANEUVERING TO GO ALONGSIDE TOC USS KLAKRING (AO-55) FOR REFUELING.

LTJG USNR

Ø8-12 ANCHORED AS BEFORE. Ø838 MOORED PORT SIDE TO U.S.S. KLAKRING (AO-55). Ø946 MANEUVERING TO CLEAR U.S.S. KLAKRING (AO-55). Ø946 ALL LINES CLEAR. 1001 ANCHORED IN 35 FEET OF WATER WITH 60 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, SANDAND SHALE BOTTOM. 1032 SECURED SEA DETAIL. SET ANCHOR WATCH. 1100 MADE DAILY INSPECTION OF HAZARDS AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 1130 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: CONDITIONS SATISFACTORY.

LTJG USNR

12-16 ANCHORED AS BEFORE.

LTJG USNR.

16-20 ANCHORED AS BEFORE. 1620 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1640 COMMENCED HEAVING IN. 1659 UNDERWAY FROM ANCHOR. COURSE Ø85°T SPEED 6 KTS. 1713 C/S TO 7.Ø KTS. 1717 C/C TO Ø95°T. 1721 SECURED SPECIAL SEA AND ANCHOR DETAIL. SET REGULAR UNDERWAY WATCH. 1735 C/C TO Ø85°T C/S TO 9.Ø KTS. 1900 COLUMN FORMATION TH-1 SLIP GUIDE IN STATION #1. BASE COURSE 145°T. SPEED 9.Ø KTS. 1924 C/C TO 165°T.

LTJG USNR

2Ø-24 STEAMING AS BEFORE. 2031 C/C TO 216°T.

LTJG USNR

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6